Specifications



APC IT Power Distribution Module 2 Pole 3 Wire 30A L2-L3 L6-30 1400CM

PDM2330L6-23-1400

Overview	
Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead Time	Usually Ships within 3 Weeks
Main	
Main Input Voltage	208 V
Main Output Voltage	208 V
Provided Equipment	Installation guide
Physical	
Colour	Black
Height	12.7 cm
Width	44.4 cm
Depth	40.6 cm
Net Weight	4.29 kg
Input	
Network Frequency	60 Hz
Max Line Current	30 A
Output	
Max Current Draw	30 A
Number Of Power Socket Outlets	1 NEMA L6-30R
Conformance	
Product Certifications	UL listed
Environmental	
Ambient Air Temperature For Operation	030 °C
Relative Humidity	095 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-1540 °C
Storage Relative Humidity	095 %

Storage Altitude

Packing Units

V	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	12.7 cm
Package 1 Width	40.6 cm
Package 1 Length	44.4 cm
Package 1 Weight	5.2 kg

Contractual warranty

Warranty

1 year repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

EQ

Guide to assess a product's sustainability >



()

Take-back Transparency RoHS/REACh

Resource performance

Take-Back Program Available

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information