

Product data sheet

Specifications



APC IT Power Distribution Module 3 Pole 5 Wire 20A 240V IEC309 200cm

PDM3520IEC309-200

Overview

Presentation	Factory assembled and tested Power Distribution Modules include circuit breaker, power cord, power connection, and circuit monitoring. Auto-detection of modules by the Modular PDU minimizes installation time.
Lead Time	Usually Ships within 3 Weeks

Main

Main Input Voltage	230 V
Main Output Voltage	240 V
Plug Standard	IEC 60309
Provided Equipment	Installation guide

Physical

Colour	Grey
Height	12.7 cm
Width	44.4 cm
Depth	40.6 cm
Net Weight	3.73 kg

Input

Network Frequency	60 Hz
Permissible Voltage	200...240 V
Max Line Current	20 A

Output

Max Current Draw	20 A
Number Of Power Socket Outlets	1 IEC 309

Conformance

Product Certifications	UL listed
------------------------	-----------

Packing Units

Package 1 Weight	4.27 kg
Package 1 Height	12.7 cm
Package 1 Width	44.4 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	40.6 cm
------------------	---------

Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Take-back Transparency

Resource performance

✓ Take-Back Program Available

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Under investigation

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)