# Product data sheet

Specifications



# APC Essential SurgeArrest 6 Outlet 25 Foot Cord 120V

PE625

() To be discontinued on: Apr 30, 2024

#### (!) To be discontinue

#### Overview

Lead Time

Usually in Stock

#### Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable Length	7.62 m
Number Of Cables	1
Provided Equipment	User manual

#### Physical

-	
Colour	Black Grey
Height	28 cm
Width	5.2 cm
Depth	3 cm
Net Weight	1.35 kg
Mounting Preference	No preference
Mounting Mode	Rack-mounted

#### Input

Maximum Line Current	15 A
Network Frequency	50/60 Hz
Maximum Input Current	15 A
Switching Current Capacity	15 A

#### Output

Number Of Power Socket Outlets	6
Outlet Standard	NEMA 5-15R

#### Conformance

UI 1449 Tvss Rating

500

Product Certifications	MET Canada MET USA
Standards	UL 1363 UL 1449
Equipment Protection Policy	Lifetime : \$50000

#### Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 % non-condensing
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-1545 °C
Storage Relative Humidity	095 % non-condensing
Storage Altitude	0.0015240.00 m

## Surge Protection and Filtering

Response Time	1 ns common mode
Common Mode Rejection	40 dB
Peak Current	48 kAcommon mode 24 kAnormal mode
Surge Energy Rate	1080 J

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	31 cm
Package 1 Width	4.5 cm
Package 1 Length	25.5 cm
Package 1 Weight	1.5 kg
Scc14	10731304337024

#### **Contractual warranty**

Warranty

Limited Lifetime

#### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >


Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc



Eq

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information