Specifications



APC PERSONAL SURGEARREST 7 OUTLET 120V Latin America

PER7-LM

() Discontinued on: Jun 10, 2022

① Discontinued

Overview

Lead Time

Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable Length	1.83 m
Number Of Cables	1
Provided Equipment	User manual

Physical

Colour	Beige
Height	5.1 cm
Width	10.8 cm
Depth	26.7 cm
Net Weight	0.77 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Maximum Line Current	15 A
Network Frequency	50/60 Hz +/- 5 Hz auto-sensing

Output

Number Of Power Socket Outlets	7
Outlet Standard	NEMA 5-15R

Conformance

UI 1449 Tvss Rating	330	
Product Certifications	CSA NOM	
Standards	UL 1283 UL 1363 UL 1449	

Equipment Protection Policy Lifetime : \$50000

Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-1545 °C
Storage Relative Humidity	095 %
Storage Altitude	0.0015240.00 m

Surge Protection and Filtering

Ep Joule Rating	1060 J
Response Time	0 ns common mode
Common Mode Rejection	60 dB
Peak Current	13 kAcommon mode 6.5 kAnormal mode
Surge Energy Rate	240 J

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Scc14	10731304255359

Contractual warranty

Warranty

Limited Lifetime

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Well-being performance

Mercury Free

Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information