

Product data sheet

Specifications



APC Personal SurgeArrest, 7 outlet

PER7

! Discontinued on: Jun 15, 2022

! Discontinued

Overview

Lead Time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable Length	1.83 m
Number Of Cables	1
Provided Equipment	User manual

Physical

Colour	Beige
Height	5.1 cm
Width	10.8 cm
Depth	26.7 cm
Net Weight	0.77 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Maximum Line Current	15 A
Network Frequency	50/60 Hz +/- 5 Hz auto-sensing

Output

Number Of Power Socket Outlets	7
Outlet Standard	NEMA 5-15R

Conformance

UI 1449 Tvss Rating	330
Product Certifications	CSA
Standards	UL 1283 UL 1363 UL 1449

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Equipment Protection Policy	Lifetime : \$50000
-----------------------------	--------------------

Environmental

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Surge Protection and Filtering

Ep Joule Rating	1060 J
Response Time	0 ns common mode
Common Mode Rejection	60 dB
Peak Current	13 kA common mode 6.5 kA normal mode
Surge Energy Rate	240 J

Packing Units

Package 1 Weight	0.95 kg
Package 1 Height	5.3 cm
Package 1 Width	18.4 cm
Package 1 Length	32.4 cm
Scc14	10731304000119
Number Of Units In Package 2	12
Package 2 Weight	11.97 kg
Number Of Units In Package 3	192

Contractual warranty

Warranty	Limited Lifetime
----------	------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
California Proposition 65	WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
Circularity Profile	End of Life Information