APC Personal SurgeArrest, 7 outlet, phone line protection

PER7T

1 To be discontinued on: 30 April 2024

(!) To be discontinued

Overview

Lead time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable length	1.83 m
Number of cables	1
Provided equipment	2 x 1.8 m telephone cables User manual

Physical

Colour	Beige
Height	5.1 cm
Width	10.8 cm
Depth	26.7 cm
Net weight	0.82 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

Input

Maximum line current	15 A
Network frequency	50/60 Hz +/- 5 Hz auto-sensing

Output

Number of power socket outlets	7
Outlet standard	NEMA 5-15R

Conformance

UL 1449 TVSS rating	330
Product certifications	CSA

Standards	UL 497A UL 1283 UL 1363 UL 1449
Equipment protection policy	Lifetime: \$50000
Environmental	
Ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	010000 ft
Ambient air temperature for storage	-1545 °C
Storage Relative Humidity	095 %
Storage altitude	0.0015240.00 m
Surge Protection and Fil	tering 1060 J
EP joule rating	
Data line protected	1
Response time	0 ns common mode
Common mode rejection	60 dB
Peak current	13 kAcommon mode 6.5 kAnormal mode
Surge energy rate	840 J
Packing Units	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.3 cm
Package 1 Width	32.4 cm
Package 1 Length	18.4 cm
Package 1 Weight	1.05 kg
Number of Units in Package 2	12
Package 2 Weight	12.61 kg
Number of Units in Package 3	384
SCC14	10731304000126
Offer Sustainability	
Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant with Exemptions
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

End of Life Information

Circularity Profile

California proposition 65

WARNING: This product can expose you to chemicals including: 1,3-Butadiene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Contractual warranty

Warranty

Limited Lifetime

Recommended replacement(s)