Specifications



APC Home Office SurgeArrest 8 Outlets, 120V White

PH8W

() Discontinued on: Apr 30, 2024

① To be discontinued

Overview

Lead time

Usually in Stock

Main

Main Input Voltage	120 V	
Input Connection Type	NEMA 5-15P	
Cable length	1.8 m	
Number of cables	1	
Provided equipment	User manual	

Physical

Colour	White
Height	3 cm
Width	7.7 cm
Depth	24.7 cm
net weight	0.6 kg
Mounting preference	No preference
mounting mode	Not rack-mountable

Input

Maximum line current	15 A
Network frequency	50/60 Hz
Maximum input current	15 A
Switching current capacity	15 A

Output

Conformance

Product certifications

MET Canada MET USA

Standards	UL 1363 UL 1449
Equipment protection policy	Lifetime : \$150000

Environmental

Ambient air temperature for operation	040 °C
Relative humidity	095 % non-condensing
Operating altitude	010000 ft
Ambient air temperature for storage	-1545 °C
Storage Relative Humidity	095 % non-condensing
Storage altitude	0.00000000015240.000000000 m

Surge Protection and Filtering

Response time	1 ns common mode	
Common mode rejection	40 dB	
Peak current	56 kAcommon mode 28 kAnormal mode	
Surge energy rate	2160 J	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.8 cm
Package 1 Width	28.5 cm
Package 1 Length	14.5 cm
Package 1 Weight	0.7 kg
SCC14	10731304336164

Contractual warranty

Warranty

Limited Lifetime

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Circularity Profile	End of Life Information

Yes