

Product data sheet

Specifications



APC Performance SurgeArrest 8 (1 PLC Compatible) outlets with Phone and Coax Protection 230V Germany

PL8VT3-DE

Overview

Lead Time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	230 V
Input Connection Type	Schuko CEE 7/7P
Cable Length	2.44 m
Number Of Cables	1
Provided Equipment	Coaxial cable Telephone cable User manual

Physical

Colour	Black
Height	37.2 cm
Width	12.2 cm
Depth	4.2 cm
Net Weight	1.23 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Network Frequency	50/60 Hz
Maximum Input Current	10 A
Switching Current Capacity	10 A

Output

Number Of Power Socket Outlets	8
Outlet Standard	Schuko CEE 7

Conformance

Product Certifications	CE
Equipment Protection Policy	Lifetime : 100000 euros

Environmental

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature For Operation	0...40 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-40...85 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Surge Protection and Filtering

Response Time	1 ns common mode
Common Mode Rejection	70 dB
Peak Current	37.5 kA common mode 37.5 kA normal mode
Surge Energy Rate	2500 J
Data Line Protection	RJ11 2-Way Modem/Fax/DSL splitter with protection (four wire dual lines) Cable modem/video protection

Packing Units

Package 1 Height	38.1 cm
Package 1 Width	21.6 cm
Package 1 Length	5.1 cm
Package 1 Weight	1.32 kg
Number Of Units In Package 2	12
Package 2 Height	381.00 mm
Package 2 Width	228.60 mm
Package 2 Length	685.80 mm
Scc14	10731304281396

Contractual warranty

Warranty	Limited Lifetime (European Union countries only)
----------	--

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information