



APC Home/Office SurgeArrest 5 outlets with Phone Protection 230V UK

PM5T-UK

! Discontinued on: 14 Feb 2024

! To be discontinued

Overview

Lead Time Usually in Stock

Main

Main Input Voltage	230 V
Input Connection Type	BS1363A British
Cable Length	1.83 m
Number Of Cables	1
Provided Equipment	User manual

Physical

Colour	White
Height	5.6 cm
Width	38.5 cm
Depth	7.3 cm
Net Weight	0.69 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Network Frequency	50 Hz +/- 5 Hz
Maximum Input Current	13 A
Switching Current Capacity	13 A

Output

Number Of Power Socket Outlets	5
Outlet Standard	BS 1363 United Kingdom

Conformance

Product Certifications	CE
Equipment Protection Policy	Lifetime : 50000 euros

Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	090 %
Operating Altitude	010000 ft
Ambient Air Temperature For Storage	-540 °C
Storage Relative Humidity	095 % non-condensing
Storage Altitude	0.0015240.00 m

Surge Protection and Filtering

Common Mode Rejection	40 dB
Peak Current	24 kAcommon mode 12 kAnormal mode
Surge Energy Rate	918 J

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.8 cm
Package 1 Width	13 cm
Package 1 Length	40.5 cm
Package 1 Weight	0.8 kg
Scc14	10731304313868

Contractual warranty

Warranty Limited Lifetime (European Union countries only)



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Reach Free Of Svhc



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information