

Product data sheet

Specifications



APC Performance SurgeArrest 6 outlets 230V UK



PM6-UK

Overview

Lead Time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	230 V
Input Connection Type	BS1363A British
Cable Length	2.00 m
Number Of Cables	1
Provided Equipment	User manual

Physical

Colour	White
Height	6.17 cm
Width	27.15 cm
Depth	11.03 cm
Net Weight	0.76 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Network Frequency	50 Hz +/- 5 Hz
Maximum Input Current	13 A
Switching Current Capacity	13 A

Output

Number Of Power Socket Outlets	6
Outlet Standard	BS 1363 United Kingdom

Conformance

Product Certifications	CE
Equipment Protection Policy	Lifetime : 50000 euros

Environmental

Ambient Air Temperature For Operation	0...40 °C
---------------------------------------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Relative Humidity	0...90 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-5...40 °C
Storage Relative Humidity	Non-condensing 0...95 %
Storage Altitude	0.00...4572.00 m

Surge Protection and Filtering

Common Mode Rejection	40 dB
Peak Current	48 kA common mode 24 kA normal mode
Surge Energy Rate	1836 J

Packing Units

Package 1 Weight	0.88 kg
Package 1 Height	6.5 cm
Package 1 Width	31 cm
Package 1 Length	16.5 cm
Sccl4	10731304313981
Number Of Units In Package 2	12
Package 2 Weight	9.12 kg
Package 2 Height	355.60 mm
Package 2 Width	330.20 mm
Package 2 Length	415.80 mm
Number Of Units In Package 3	192

Contractual warranty

Warranty	Limited Lifetime (European Union countries only)
----------	--

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information