Specifications



# APC Performance SurgeArrest 8 outlets 230V Germany

PM8-GR

() Discontinued on: Apr 30, 2024

#### ① To be discontinued

## Overview

Lead time

Usually in Stock

#### Main

Main Input Voltage	230 V
Cable length	2.00 m
Number of cables	1
Provided equipment	User manual

#### **Physical**

Colour	White
Height	6.17 cm
Width	32.65 cm
Depth	11.03 cm
net weight	0.83 kg
Mounting preference	No preference
mounting mode	Rack-mounted

# Input

Input power	2300 W
Network frequency	50 Hz
Maximum input current	10 A
Switching current capacity	10 A

# Output

Number of power socket outlets	8
outlet standard	Schuko CEE 7

# Conformance

Product certifications	CE
Equipment protection policy	Lifetime : 50000 euros

# Environmental

Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient air temperature for operation	040 °C
Relative humidity	095 % non-condensing
Operating altitude	050000 ft
Ambient air temperature for storage	-1545 °C
Storage Relative Humidity	095 %
Storage altitude	0.00000000015240.000000000 m

# Surge Protection and Filtering

Response time	1 ns common mode
Common mode rejection	60 dB
Peak current	48 kAcommon mode 60 kA per phase normal mode
Surge energy rate	2690 J

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.4 cm
Package 1 Width	36.5 cm
Package 1 Length	17 cm
Package 1 Weight	0.97 kg
SCC14	10731304313141

# **Contractual warranty**

Warranty

Limited Lifetime (European Union countries only)

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Yes

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

#### Well-being performance

Reach Free Of Svhc

Rohs Exemption Information

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information