Specifications



APC Performance SurgeArrest 6 outlets with Phone and Coax Protection 230V

#### PMH63VT-RS

() Discontinued

Uiscontinued on: Sep 24, 2021

(!) End-of-service on: Nov 12, 2022

#### **Overview**

Lead Time

Usually in Stock

### Main

Main Input Voltage	230 V
Input Connection Type	Schuko CEE 7/7P
Cable Length	3.00 m
Number Of Cables	1
Provided Equipment	User manual

## Physical

Colour	White
Height	6.2 cm
Width	27.2 cm
Depth	11 cm
Net Weight	0.81 kg
Mounting Preference	No preference
Mounting Mode	Rack-mounted

### Input

•	
Input Power	2300 W
Network Frequency	50 Hz +/- 5 Hz
Maximum Input Current	10 A
Switching Current Capacity	10 A

## Output

Number Of Power Socket Outlets	6
Outlet Standard	Schuko CEE 7

### Conformance

Product Certifications

CE EAC

# Environmental

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 % non-condensing
Operating Altitude	050000 ft
Ambient Air Temperature For Storage	-1545 °C
Storage Relative Humidity	095 %
Storage Altitude	0.0015240.00 m

# **Surge Protection and Filtering**

Response Time	1 ns common mode
Common Mode Rejection	40 dB
Peak Current	48 kAcommon mode
Surge Energy Rate	1836 J

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	16.5 cm
Package 1 Length	31 cm
Package 1 Weight	0.95 kg
Number Of Units In Package 2	12
Package 2 Height	406.40 mm
Package 2 Width	330.20 mm
Package 2 Length	355.60 mm
Package 2 Weight	12.07 kg
Number Of Units In Package 3	96
Scc14	10731304314049

# **Contractual warranty**

Warranty

Limited Lifetime (electronics and surge components only), 2 years (plastic parts)

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc



Eq

Rohs Exemption Information Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information