

Product data sheet

Specifications



APC Professional SurgeArrest, 8 outlet

PRO8

⚠ Discontinued on: Jun 15, 2022

⚠ Discontinued

Overview

Lead Time Usually in Stock

Main

Main Input Voltage	120 V
Input Connection Type	NEMA 5-15P
Cable Length	1.83 m
Number Of Cables	1
Provided Equipment	User manual

Physical

Colour	Beige
Height	4.4 cm
Width	20.3 cm
Depth	14.6 cm
Net Weight	0.86 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable

Input

Maximum Line Current	15 A
Network Frequency	50/60 Hz +/- 5 Hz auto-sensing

Output

Number Of Power Socket Outlets	8
Outlet Standard	NEMA 5-15R

Conformance

UI 1449 Tvss Rating	330
Product Certifications	CSA
Standards	UL 1283 UL 1363 UL 1449

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Equipment Protection Policy	Lifetime : \$75000
-----------------------------	--------------------

Environmental

Ambient Air Temperature For Operation	0...45 °C
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage Altitude	0.00...15240.00 m

Surge Protection and Filtering

Ep Joule Rating	1760 J
Response Time	0 ns common mode
Common Mode Rejection	60 dB
Peak Current	13 kAcommon mode 13 kAnormal mode
Surge Energy Rate	1120 J

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.1 cm
Package 1 Width	31.8 cm
Package 1 Length	15.9 cm
Package 1 Weight	1.048 kg
Scc14	10731304000812

Contractual warranty

Warranty	Limited Lifetime
----------	------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Eu Rohs Directive [Compliant with Exemptions](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)