


Product data sheet

Specifications



APC Smart-UPS C, Line Interactive, 1500VA, Tower, 115V/220V, 8x NBR 14136 outlets, USB and Serial communication, AVR, Graphic LCD

SMC1500XLBI-BR

Overview

Lead Time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	115 V 220 V
Main Output Voltage	115 V
Rated Power In W	1050 W
Rated Power In Va	1500 VA
Input Connection Type	NBR 14136
Nb Of Power Socket Outlets	8 NBR 14136
Cable Length	1.52 m
Battery Type	Lead-acid battery
Provided Equipment	User manual USB cable

Batteries & Runtime

Extended Runtime	1
Number Of Battery Filled Slots	0
Number Of Battery Free Slots	0
Battery Recharge Time	6 h
Number Of Battery Replacement Quantity	4
Battery Life	1...2 year(s)
Battery Power In Vah	336 VAh capacity 0 VAh runtime

General

Number Of Power Module Filled Slots	0
Number Of Power Module Free Slots	0
Redundant	No

Physical

Height	23.4 cm
--------	---------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Width	20.5 cm
Depth	48 cm
Net Weight	26.5 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable
Two Post Mountable	0
Usb Compatible	No

Input

Switching Current Capacity	20 A
Network Frequency	60 Hz

Output

Maximum Configurable Power In Va	1500 VA
Maximum Configurable Power In W	1050 W
Ups Type	Line interactive
Wave Type	Sine wave
Efficiency	77 % (in battery operation)

Environmental

Acoustic Level	50 dBA
Heat Dissipation	443 Btu/h
Ambient Air Temperature For Operation	0...40 °C
Ip Degree Of Protection	IP20
Relative Humidity	0...90 %

Surge Protection and Filtering

Surge Energy Rate	555 J
-------------------	-------

Packing Units

Package 1 Height	28.2 cm
Package 1 Width	25.4 cm
Package 1 Length	55.9 cm
Package 1 Weight	27.2 kg

Contractual warranty

Warranty	2 years repair or replace (excluding battery) and 1 year for battery
----------	--

Sustainability

Green Premium™ label label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

Eu Rohs Directive	Under investigation
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins