

Schneider Electric Online-UPS 15kVA, 380V, no battery, LCD, w/ parallel function

SP15KL-33P

! Discontinued on: May 16, 2024

! To be end-of-service on: May 16, 2027

① Discontinued - Service only

Overview

Lead time Usually in Stock

Main

mann	
Main Input Voltage	380 V 3 phases
Main Output Voltage	380 V 3 phases
Rated power in W	13500 W
Rated power in VA	15000 VA
Provided equipment	Documentation CD Parallel card Parallel communication cable Smart UPS signalling RS-232 cable

Batteries & Runtime

Number of battery filled slots	0
Number of battery free slots	0
Extended runtime	0

General

UPS type	Double conversion online
Number of power module free slots	0
Number of power module filled slots	0
Redundant	No

Physical

Height	82.6 cm
Width	25 cm
Depth	59.2 cm
net weight	40 kg
Mounting preference	No preference
mounting mode	Not rack-mountable
Two post mountable	0
USB compatible	No

Output

Maximum configurable power in VA	15000 VA
Maximum configurable power in W	13500 W

Environmental

Acoustic level 60 dBA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	107.1 cm
Package 1 Width	69 cm
Package 1 Length	37 cm
Package 1 Weight	45 kg
SCC14	20731304324878

Contractual warranty

Warranty 2 years for repair or replacement

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions
Environmental Disclosure	Product Environmental Profile