

Product data sheet

Specifications



Schneider Electric Online-UPS 1600VA, 220V, no battery, rackmount w/kit, 4x chinese outlets

SPR2KL

 **Discontinued on:** Jun 15, 2022

 **Discontinued**


Overview

Lead Time Usually Ships within 6 Weeks

Main

Main Input Voltage	220 V
Other Input Voltage	230 V 240 V
Main Output Voltage	220 V
Other Output Voltage	230 V 240 V
Rated Power In W	1600 W
Rated Power In Va	1600 VA
Input Connection Type	IEC 60320 C14
Output Connection Type	4 chinese outlet
Cable Length	1.83 m
Number Of Cables	1
Provided Equipment	1.8 m telephone cable Web/SNMP management card

Batteries & Runtime

Run Time	View Runtime Graph 
Number Of Battery Filled Slots	0
Number Of Battery Free Slots	0
Extended Runtime	0

General

Number Of Power Module Free Slots	0
Number Of Power Module Filled Slots	0
Redundant	No

Physical

Height	8.8 cm
Width	43.8 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Depth	38 cm
Net Weight	8.3 kg
Mounting Preference	No preference
Mounting Mode	Rack-mounted with kit
Two Post Mountable	0
Usb Compatible	No

Input

Network Frequency	40...70 Hz auto-sensing
Input Voltage Limits	140...300 V
Maximum Input Current	12 A
Switching Current Capacity	10 A
Input Harmonic Distortion	Less than 10 % for full load
Input Current	12 A (1 phase)
Load Power Factor	0.8
Input Power Factor At Full Load	0.99

Output

Maximum Configurable Power In Va	1600 VA
Maximum Configurable Power In W	1600 W
Output Frequency	50/60 Hz +/- 3 Hz sync to mains
Wave Type	Sine wave
Output Voltage Tolerance	+/- 2% static and 100% load step
Output Harmonic Distortion	< 3% linear load
Efficiency	90 % (full load) 87 % (half load)
Harmonic Distortion	Less than 2 %
Crest Factor	3 : 1
Bypass Type	Built-in bypass
Additional Information	Configurable for 220 : 230 or 240 nominal output voltage

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	18 cm
Package 1 Width	50 cm
Package 1 Length	56 cm
Package 1 Weight	10.478 kg
Scc14	10731304314964

Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

Sustainability


Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

 Mercury Free

Eu Rohs Directive

Under investigation
