Specifications



Trailing lead, Unica extend, French sockets, swicthable, USB type A+A, 1.5m cable, white

ST933U1W

Main

Range	Odace
product or component type	Trailing lead
Aesthetic name	Odace extend
Control type	Mains switch
Socket number	3
Integrated connection type	2 USB type A 5 V DC, maximum load current: 2.4 A
Colour tint	White (RAL 9003)
Cable length	1.5 m

Complementary

Type of USB power supply	USB type A + A
Number of USB connection	2
[Ue] rated operational voltage	250 V
On/off switch present	True
[In] rated current	16 A
Outlet poles configuration	2P + E
outlet standard	French
Socket additional information	Shuttered
Maximum switching capacity	16 A
Pilot light	ON indicator
Material	PP (polypropylene)
Length	254 mm
Width	57 mm
Depth	40.5 mm
Type of packing	Blister
Resistance to chemical agents	Resistant to alcohol (70 %) Resistant to alcohol (96 %) Resistant to A-Lactic Acid Resistant to diluted quaternary ammonium Resistant to diluted bleach Resistant to diluted ammonia Resistant to soapy water Resistant to crystal cleaner Resistant to hydrogen peroxide 10 volumes Resistant to hexane
Surface treatment	Untreated

Height

205.5 mm

Packing Units

J	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.000 cm
Package 1 Width	7.500 cm
Package 1 Length	31.000 cm
Package 1 Weight	443.600 g
Unit Type of Package 2	\$03
Number of Units in Package 2	16
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.554 kg
Unit Type of Package 3	P06
Number of Units in Package 3	128
Package 3 Height	75.000 cm
Package 3 Width	80.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	68.430 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Yes

Sustainable Packaging Transparency RoHS/REACh

Ea

Resource performance

Sustainable Packaging

3

Well-being performance

Mercury Free

Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information