

Product data sheet

Specifications



Odace extend - French trailing lead - 3 gangs - with USB port - aluminium/white

ST933U1WA

Main

Range	Odace
Product Or Component Type	Trailing lead
Aesthetic Name	Odace extend
Shape	Square
Control Type	Mains switch
Socket Number	3
Number Of Power Socket Outlets	3 square
Integrated Connection Type	2 USB port 5 V DC, maximum load current: 2.4 A
Colour Tint	Aluminium/white
Cable Length	1.5 m

Complementary

Number Of Socket Outlets With Earth Pin	3
Type Of Usb Power Supply	USB type A + A
Number Of Usb Connection	2
[Ue] Rated Operational Voltage	250 V
On/Off Switch Present	True
[In] Rated Current	16 A
Outlet Poles Configuration	2P + E
Outlet Standard	French
Socket Additional Information	Shuttered
Maximum Switching Capacity	16 A
Pilot Light	ON indicator
Material	PP (polypropylene) PC
Length	254 mm
Width	57 mm
Depth	40.5 mm
Quantity Per Set	Set of 1
Type Of Packing	Blister

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Resistance To Chemical Agents	Resistant to alcohol (70 %)
	Resistant to alcohol (96 %)
	Resistant to A-Lactic Acid
	Resistant to diluted quaternary ammonium
	Resistant to diluted bleach
	Resistant to diluted ammonia
	Resistant to soapy water
	Resistant to crystal cleaner
	Resistant to hydrogen peroxide 10 volumes
	Resistant to hexane
Surface Treatment	Untreated

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	7.5 cm
Package 1 Length	31.0 cm
Package 1 Weight	482.0 g
Unit Type Of Package 2	P06
Number Of Units In Package 2	128
Package 2 Height	75.0 cm
Package 2 Width	80.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	73.088 kg
Unit Type Of Package 3	S03
Number Of Units In Package 3	16
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	8.136 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products. **Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance



Mercury Free



RoHS Exemption Information

[Yes](#)

Certifications & Standards

Eu RoHS Directive

Compliant

[EU RoHS Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)