

Product data sheet

Specifications



Trailing lead, Unica extend, 3
Schuko, swichtable, USB type A+A,
1.5m cable, white

ST943U1W

Main

Range	Unica
product or component type	Trailing lead
Aesthetic name	Unica extend
Control type	Mains switch
Integrated connection type	2 USB type A 5 V DC, maximum load current: 2.4 A
Colour tint	White (RAL 9003)
Cable length	1.5 m

Complementary

Type of USB power supply	USB type A + A
[Ue] rated operational voltage	250 V
[In] rated current	16 A
Outlet poles configuration	2P + E
outlet standard	Schuko
Socket additional information	Shuttered
Maximum switching capacity	16 A
Pilot light	ON indicator
Material	PP (polypropylene) PC
Length	254 mm
Width	57 mm
Depth	40.5 mm
Type of packing	Blister
Socket number	3
Surface treatment	Untreated
Number of USB connection	2

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	5.7 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	31.4 cm
Package 1 Weight	509 g
Unit Type of Package 2	S03
Number of Units in Package 2	16
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	8700 kg
Unit Type of Package 3	P06
Number of Units in Package 3	128
Package 3 Height	75 cm
Package 3 Width	60 cm
Package 3 Length	80 cm
Package 3 Weight	67.08 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)




Sustainable Packaging Transparency RoHS/REACH

Resource performance

 Sustainable Packaging

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information