

Product data sheet

Specifications

Unica extend - Schuko trailing lead - 5 gangs - with USB port - white



ST945U1W

Main

Range	Unica
Product Or Component Type	Trailing lead
Aesthetic Name	Unica extend
Control Type	Mains switch
Socket Number	5
Number Of Power Socket Outlets	5 square
Integrated Connection Type	2 USB port 5 V DC, maximum load current: 2.4 A
Cable Length	1.5 m
Colour Tint	White

Complementary

Number Of Socket Outlets With Earth Pin	5
Number Of Usb Connection	2
[Ue] Rated Operational Voltage	250 V
[In] Rated Current	16 A
Outlet Poles Configuration	2P + E
Outlet Standard	Schuko
Socket Additional Information	Shuttered
Maximum Switching Capacity	16 A
Pilot Light	ON indicator
Material	PP (polypropylene)
Length	339 mm
Width	57 mm
Depth	40.5 mm
Quantity Per Set	Set of 1
Type Of Packing	Blister

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Weight	591 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	7.5 cm
Package 1 Width	5.7 cm
Package 1 Length	40.9 cm

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products. **Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Transparency

Well-being performance

✓	Mercury Free	
✓	Rohs Exemption Information	Yes
Eu Rohs Directive		Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation		China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure		Product Environmental Profile
Circularity Profile		End of Life Information