



# Product data sheet

Specifications



## APC Smart-UPS 750VA USB & Serial 230V, India Specific

SUA750I-IN

-  To be discontinued on: Jun 30, 2024
-  To be end-of-service on: Jun 30, 2026

 Discontinued - Service only



### Overview

Lead Time Usually in Stock

### Main

Main Input Voltage	230 V
Main Output Voltage	230 V
Rated Power In W	500 W
Rated Power In Va	750 VA
Input Connection Type	IEC 320 C14
Output Connection Type	6 IEC 320 C13 2 IEC Jumpers
Battery Type	Lead-acid battery
Provided Equipment	CD with software Smart UPS signalling RS-232 cable User manual USB cable

### Batteries & Runtime

Run Time	<a href="#">View Runtime Graph</a> 
Efficiency	<a href="#">View Efficiency Graph</a> 
Additional Information	Configurable for 220 : 230 or 240 nominal output voltage
Extended Runtime	0
Number Of Battery Filled Slots	0
Number Of Battery Free Slots	0

### General

Number Of Power Module Filled Slots	0
Number Of Power Module Free Slots	0
Redundant	No

### Physical

Height	15.7 cm
Width	13.7 cm
Depth	36.1 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Net Weight	13.18 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable
Two Post Mountable	0
Usb Compatible	No

## Input

Input Voltage Limits	151...302 V adjustable 160...285 V
Network Frequency	50/60 Hz +/- 3 Hz auto-sensing

## Output

Harmonic Distortion	Less than 5 %
Maximum Configurable Power In Va	750 VA
Maximum Configurable Power In W	500 W
Transfer Time	2 ms typical
Ups Type	Line interactive
Wave Type	Sine wave
Runtime At 100W	00:58:00
Runtime At 200W	00:27:00
Runtime At 300W	00:14:00
Runtime At 400W	00:09:30
Runtime At 500W	00:06:45
Runtime At 50W	02:00:00
Output Frequency	47...53 Hz for 50 Hz nominal sync to mains 57...63 Hz for 60 Hz nominal sync to mains

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	29 cm
Package 1 Width	50 cm
Package 1 Length	27 cm
Package 1 Weight	14.55 kg

## Contractual warranty

Warranty	1 year repair or replace
----------	--------------------------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Energy Efficient   Take-back   Transparency   RoHS/REACH

## Resource performance

✓ Energy Efficient Product

✓ Take-Back Program Available

## Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   [Yes](#)

## Certifications & Standards

Reach Regulation   [REACH Declaration](#)

Eu Rohs Directive   Compliant with Exemptions

Environmental Disclosure   [Product Environmental Profile](#)

Circularity Profile   [End of Life Information](#)