


Product data sheet

Specifications



Smart-UPS Extended Battery Pack 12V 45AH x16

SUBP16-3

Overview

Lead Time	Usually Ships within 8 Weeks
-----------	------------------------------

Main

Battery Type	Lead-acid battery
Provided Equipment	Installation guide

Batteries & Runtime

Battery Location	Battery cabinet
------------------	-----------------

Physical

Colour	Black Red
Height	102.4 cm
Width	43.2 cm
Depth	65.2 cm
Net Weight	260 kg
Mounting Mode	Not rack-mountable

Environmental

Ambient Air Temperature For Operation	0...40 °C
Operating Altitude	0...6561 ft
Relative Humidity	0...85 %
Ambient Air Temperature For Storage	-15...45 °C
Storage Altitude	0.00...2999.84 m
Storage Relative Humidity	0...85 %

Packing Units

Package 1 Height	61.3 cm
Package 1 Width	80 cm
Package 1 Length	120 cm
Package 1 Weight	276 kg

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Take-back Transparency RoHS/REACH

Resource performance

✓ Take-Back Program Available

Well-being performance

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)
[EU RoHS Declaration](#)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)