

Product data sheet

Specifications



Smart-UPS Extended Battery Pack 12V 17AH x9

SUBP9-1

Overview

Lead Time	Usually Ships within 8 Weeks
-----------	------------------------------

Main

Battery Type	Lead-acid battery
Provided Equipment	Installation guide

Batteries & Runtime

Battery Location	Battery cabinet
Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cabinet

Physical

Colour	Black Red
Height	34.33 cm
Width	43.2 cm
Depth	65.025 cm
Net Weight	63.41 kg
Mounting Mode	Not rack-mountable

Environmental

Ambient Air Temperature For Operation	0...40 °C
Operating Altitude	0...6561 ft
Relative Humidity	0...85 %
Ambient Air Temperature For Storage	-15...45 °C
Storage Altitude	0.00...2999.84 m
Storage Relative Humidity	0...85 %

Packing Units

Package 1 Height	61.3 cm
Package 1 Width	45 cm
Package 1 Length	70 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	31.1 kg
Number Of Units In Package 3	1

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. **Green Premium** promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low- products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)



Take-back

Resource performance

 Take-Back Program Available

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)