





(https://www.voutube.com/channel/UCI4nzudJlpki0aPTTF62wIA/videos)

SEARCH

ENGLISH



Home (https://seasonic.com/) / PRIME Ultra Platinum

PRIME ULTRA PLATINUM

Power, Performance, PRIME Ultra.





GALLERY

SPECIFICATIONS

PRIME Ultra 1000 Platinum •

PRIME ULTRA PLATINUM

Its ultra-high efficiency and outstanding performance are the fine results of Seasonic's continuous commitment to innovation and advancement. Improved low-load efficiency, highly suppressed ripple noise and a generous 12-year manufacturer's warranty are just some of the characteristics that set these series apart from other power supplies on the market.

CABLES

ATX 12 V

Fully Modular

80 PLUS Platinum Certified

12 Years Warranty

Dimensions: 170 mm (W) x 150 mm (L) x 86 mm (H)

Dimensions: 140 mm (W) x 150 mm (L) x 86 mm (H)



USER MANUAL (/PUB/MEDIA/PDF/CONSUMER/USER MANUADANVASHIELENS WAU-BI/SMERDIA/RIDIA/CONSUMER/DATASHEET/I

WATTAGE CALCULATOR (/WATTAGE-CALCULATOR)

COMPARE PRODUCTS

OVERVIEW

NEW IN PRIME ULTRA

Seasonic has included a PSU tester in the box that will let consumers perform a quick and easy jump start on the power supply. Each PRIME Ultra Series power supply will also ship with a SATA 3.3 adapter to support the "Power Disable" (PWDIS) feature of the newer, high-capacity hard drives. The inline capacitors on the cables were removed, which takes away the bulkiness inside the system. To maximize flexibility, the 180-degree SATA connectors ensuring more flexibility and easier installation.


PRIME Ultra Platinum






80 PLUS® PLATINUM

The PRIME Platinum Series achieves 80 PLUS® Platinum certification with its 92 % efficiency at 50 % system load.






MICRO TOLERANCE LOAD REGULATION

Seasonic's latest design keeps the output voltage within a very tight range, achieving under 0.5 % load regulation. This impressive electrical performance and stability makes this power supply an ideal choice for high-performance systems.





PREMIUM HYBRID FAN CONTROL

Seasonic's vast experience in designing the most silent and efficient power supplies on the market was translated into the development of Hybrid Mode; a state-of-the-art fan control that enables users to keep the overall fan noise at the lowest possible level.

FLUID DYNAMIC FAN BEARING

High performance Fluid Dynamic Bearing (FDB) fans are designed to take advantage of the impact absorbance effects of oil. They are extremely reliable and generate considerably less operating noise and heat than ball bearing fans. The lubrication of the bearing surface reduces friction and vibration and therefore lowers overall power consumption. Due to the effortless, quieter rotations and its robust construction, this reliable fan technology also greatly increases the lifespan of the fan.

HOW IT WORKS

When the fan shaft rotates, high pressure oil drifts along the grooves of the bearing sleeve to generate a thin layer of lubrication between the bearing faces. As the speed increases, so does dynamic oil pressure and the shaft is lifted from the bearing to create smooth, effortless rotations. The herringbone shape of the groves helps to efficiently channel the lubricant and avert leakage.





CABLE-FREE CONNECTION DESIGN

Seasonic's engineers have implemented a new design feature, where instead of cables; the back panel and the PCB (Printed Circuit Board) are connected by a copper plate. This breakthrough solution not only lowers the chance of production errors during manual insertion but it also improves output power quality.



FEATURE SUMMARY

80 PLUS® Platinum certified

Micro Tolerance Load Regulation (0.5 %)

Cable-free Connection Design

Premium Hybrid Fan Control - Fanless until 40 % load

Multi-GPU setup

Gold plated connectors

12 years warranty

GALLERY

SPECIFICATIONS

SSR-1000PD (ULTRA)

PRIME Ultra Platinum

Technical Specifications				
80PLUS [®]		Platinum		
Cybenetics Efficiency Level		TBA		
Cybenetics Noise Level		TBA		
Form Factor		Intel ATX 12 V		
Dimensions		170 mm (W) x 150 mm (L) x 86 mm (H)		
Fan Information	Fan Size	135 mm		
	Fan Control	Premium Hybrid Fan Control		
	Fan Bearing	Fluid Dynamic Bearing		
	Life Expectancy	50,000 hours at 40 °C, 15 % - 65 % RH		
Cable Information	Modularity	Fully Modular		
	Cable type	Flat black cables		
Electrical Features	Operating Temperature	0 - 50 °C (derating from 100 % to 80 % from 40 °C to 50 °C)		
	MTBF @ 25 °C, excl. fan	150,000 hours		
	AC Input	Full Range		
	Protection	OPP, OVP, UVP, OCP, OTP, SCP		
Safety and Environmental	Safety and EMC	cTUVus, TUV, CB, CCC, BSMI, EAC, CE		
	Environmental Compliance	Energy Star, RoHS, WEEE, ErP Lot 6, REACH		
Warranty		12 Years		

8/1/2018

Power Output								
AC Input	Voltage: 100 V - 240 V							
	Current: 13 - 6.5 A							
	Frequency: 50 Hz - 60 Hz							
DC Output	Rail	+3.3 V	+5 V	+12 V	-12 V	+5 VSB		
	Maximum Power	25 A	25 A	83 A	0.3 A	3 A		
		100 W		996 W	3.6 W	12.5 W		
	Total continuous power	1000 W				'		

CABLES

SSR-1000PD

Connector	Connector count	Cable count	Cable
Main Power (24/20 pins)	1	1	610 mm
CPU (8/4 pins)	2	2	650 mm
PCIe (8/6 pins)	8	0	750 mm

THINE SING FINANCIA						
		4	675 mm			
SATA	12	0	450 mm 120 mm 120 mm			
		1	350 mm			
		2	400 mm 120 mm 120 mm			
		0	350 mm			
		0	300 mm			
Peripheral	5	1	450 mm 2 120 mm 2 120 mm			
		1	350 mm = 120 mm = 120 mm			
Floppy	1	1	101 mm			

Specifications are subject to change without prior notice.

SEASONIC CORPORATE

About us (https://seasonic.com/about-us/)

News (https://seasonic.com/news/)

Contact (https://seasonic.com/contact-us/)

Brand Assets (https://seasonic.com/brand-assets/)

CONSUMER PRODUCTS

Products (https://seasonic.com/consumer/)

Wattage Calculator (https://seasonic.com/wattage-calculator/)

Reviews and Awards (https://seasonic.com/reviews-and-awards/)

Warranty Information / RMA (https://seasonic.com/support/)

Product Registration (https://seasonic.com/product-registration-landing/)

FAQ and Troubleshooting (https://seasonic.com/fag/)

Where to Buy (https://seasonic.com/locations/)

INDUSTRIAL PRODUCTS

Products (https://seasonic.com/industrial/)

RMA information (https://seasonic.com/industrial-support/)

Contact (https://seasonic.com/contact-us/)

Where to Buy (https://seasonic.com/locations/)

STAY IN TOUCH







(O)

(https://www.facebook.com/Seasonic) (https://twitter.com/seasonicpsu)

(https://www.instagram.com/seasonicpsu/)

(https://www.youtube.com/channel/UCI4nzudJlpkj0aPTTF62wIA/videos)

Subscribe to our newsletter and stay informed about all our latest news.

© 2018 Sea Sonic. All rights reserved. Privacy Policy (https://seasonic.com/privacy-policy-cookie-restriction-mode)