


Feedback & Ideas | Help






# Weight Sensor (Load Cell) 0-20kg

SKU 114990097

**Q** Search for products, brands and platforms

- Introduction :
- Applicable to electronic scale, price computering scale, electronic platform scale, digital scale; parcel post scale, electronic balance and all varieties of commercial scales by single load cell



## Description

Category

#### Introduction:

Applicable to electronic scale, price computering scale, electronic platform scale, digital scale; parcel post scale, electronic balance and all varieties of commercial scales by single load cell.

### Specification:

Capacity: 20KG

Rated output(MV/V): 2.0c2±0.15

Accuracy class: C2

Maximum number of laod cell verification intervals(N max): 2000 Minimum number of laod cell verification intervals(Vmin): EMax/5000

- 1. 1. (2.7.2.)

Combined erro(%RO): <±0.030

Creep(%RO/30min): 0.03

Temperature effect on sensitivity(%RO/°C): 0.0016
Temperature effect on zero(%RO/°C): 0.003

remperature effect on zero(%RO/°C). 0.003

Zero balance(%RO): 1.0 Input resistance(Ω): 402±6 Output resistance(Ω): 350±3

Insulation resistance(MΩ<50V>): 5000

isdiation resistance(wizz -500 - ), 5000

Recommended excitation voltage(V): 10~15

Compensated temperature range(°C): -10~+40

Operating temperature range(°C): -35~+80

## Recommendations



Weight Sensor (Load Cell) 0-10kg



Weight Sensor (Load Cell) 0-3kg



Weight Sensor (Load Cell) 0-5kg




Weight Sensor (Load Cell) 0-50kg



G1&2" Water Flow Sensor...



DSO Nano v3



PayPal VISA W W McAfee' SECURE





Select Language ▼

Contact Support