

Products

► IPC Power Supplies

ATX/SFX/TFX

1U and 2U

Flex ATX

Redundant

DC-DC

PC Power Supplies

Medical Power Supplies

Retail Package

Adapter

Open Frame

LED

OEM/ODM Solution

Accessories

Legacy Products

IPC Power Supplies

Featured Products



FSP2000-52AGPBI



FSP1200-50AAG



FSP700-80PSA(SK)



FSP300-70PFL(SK)



[FSP600-80AAB](#)

• IEC 62368 & 60950 Standard

Product	Model Number Dimension WxLxH (mm)	Output Power (Watt)	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-12V	+5Vsb	-5V		
 Efficiency meet Gold Coming Soon	FSP1200-50ADB 150x190x86	1200W	30A	30A	100A	0.8A	4A		150W	Full Range
	FSP1000-50ADB 150x190x86	1000W	30A	30A	83A	0.8A	4A		150W	Full Range
	FSP850-50ADB 150x190x86	850W	25A	25A	70A	0.5A	3.5A		150W	Full Range

[Top](#)

Product	Model Number Dimension WxLxH (mm)	Output Power (Watt)	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-12V	+5Vsb	-5V		
 Efficiency meet Bronze	FSP700-80PSA(SK) 150x140x86	700W	24A	30A	12V1/16A 12V2/16A 12V3/16A 12V4/16A	0.5A	4A		170W	Full Range
	FSP600-80PSA(SK) 150x140x86	600W	25A	25A	12V1/16A 12V2/16A 12V3/16A 12V4/16A	0.5A	4A		150W	Full Range
 Efficiency meet Gold	FSP500-80AGGBM 150x140x86	500W	20A	20A	12V1/16A 12V2/16A 12V3/16A	0.5A	3A	0.3A (option)	103W	Full Range
 Efficiency meet Bronze	FSP500-70PFL(SK) 150x140x86	500W	22A	16A	12V1/16A 12V2/16A	0.5A	3A	0.1A (option)	120W	Full Range
 Efficiency meet Bronze	FSP500-60AGB 150x140x86	500W	19A	16A	41A	0.3A	2.5A	0.3A (option)	105W	Full Range
	FSP500-70AGB 150x140x86	500W	19A	16A	12V1/17A 12V2/17A	0.3A	2.5A	0.3A (option)	105W	Full Range
 Efficiency meet Bronze	FSP460-70PFL(SK) 150x140x86	460W	22A	16A	12V1/18A 12V2/18A	0.5A	3A	0.1A (option)	120W	Full Range

 Efficiency meet Gold	FSP400-70AGGBM 150x140x86	400W	21A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	103W	Full Range
 Efficiency meet Bronze	FSP400-70PFL(SK) 150x140x86	400W	21A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	110W	Full Range
 Efficiency meet Bronze	FSP400-60AGB 150x140x86	400W	19A	16A	33A	0.3A	2.5A	0.3A (option)	105W	Full Range
	FSP400-70AGB 150x140x86	400W	19A	16A	12V1/17A 12V2/17A	0.3A	2.5A	0.3A (option)	105W	Full Range
 Efficiency meet Bronze	FSP350-70PFL(SK) 150x140x86	350W	21A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	105W	Full Range
 Efficiency meet Gold	FSP300-70AGGBM 150x140x86	300W	19A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	103W	Full Range
 Efficiency meet Bronze	FSP300-70PFL(SK) 150x140x86	300W	19A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	105W	Full Range
 Efficiency meet Bronze	FSP300-60AGB 150x140x86	300W	19A	16A	24A	0.3A	2.5A	0.3A (option)	105W	Full Range
	FSP300-70AGB 150x140x86	300W	19A	16A	12V1/17A 12V2/17A	0.3A	2.5A	0.3A (option)	105W	Full Range

[Top](#)

Product	Model Number Dimension WxLxH (mm)	Output Power (Watt)	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-12V	+5Vsb	-5V		
 Efficiency meet Bronze	FSP500-72PFL(SK) 150x140x86	500W	22A	16A	12V1/18A 12V2/18A	0.5A	3A	0.1A (option)	120W	Full Range
	FSP400-72PFL(SK) 150x190x86	400W	21A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	110W	Full Range

[Top](#)

• Full Modular Cable

Product	Model Number Dimension WxLxH (mm)	Output Power (Watt)	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-12V	+5Vsb	-5V		
 Efficiency meet Gold	FSP500-80AGGBM(M) 150x140x86	500W	20A	20A	12V1/16A 12V2/16A 12V3/16A	0.5A	3A	0.3A (option)	103W	Full Range
	FSP400-70AGGBM(M) 150x140x86	400W	21A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	103W	Full Range
	FSP300-70AGGBM(M) 150x140x86	300W	19A	16A	12V1/17A 12V2/17A	0.5A	3A	0.1A (option)	103W	Full Range

[Top](#)

• With 24Vdc Output

Product	Model Number Dimension WxLxH (mm)	Output Power (Watt)	Output Current rating							Input Voltage
			+3.3V	+5V	+12V	-12V	+5Vsb	-5V	+24V	
 Efficiency meet Bronze	FSP600-80AAB 150x140x86	600W	20A	20A	12V1/18A 12V2/18A	0.5A	3A	0.1A (option)	8A	Full Range
	(1) +3.3V & +5V total output not exceed 120W									
	FSP500-80AAB 150x140x86	500W	18A	18A	12V1/18A 12V2/18A	0.5A	3A	0.1A (option)	8A	Full Range
	(1) +3.3V & +5V total output not exceed 100W									
	FSP400-80AAB 150x140x86	400W	16A	16A	12V1/18A 12V2/18A	0.5A	3A	0.1A (option)	8A	Full Range
	(1) +3.3V & +5V total output not exceed 90W									

[Top](#)

• IEC 60950 Standard

• 80 Plus Platinum

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	FSP2000-52AGPBI 150x200x86	2000W	25A	25A	166.6A	NA	0.5A	4.0A	150W	100~264V AC
	FSP2000-A0AGPBI 150x200x86	2000W	25A	25A	30A 30A 30A 30A 30A	NA	0.5A	4.0A	150W	90~264V AC
	FSP500-70AAPB 150x140x86	500W	24A	20A	18A 18A	0.2A	0.5A	3.0A	120W	90~264V AC

[Top](#)

• 80 Plus Gold

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	FSP300-60PFK 150x140x86	300W	15A	15A	16A 16A	N/A	0.4A	3.0A	90W	90~264V AC
	FSP850-50AAG 190X150X86	850W	25A	25A	70A	NA	0.5A	3.5A	125W	90~264V AC
	FSP1000-50AAG 190X150X86	1000W	30A	30A	83A	NA	0.8A	4.0A	150W	90~264V AC
	FSP1200-50AAG 190X150X86	1200W	30A	30A	100A	NA	0.8A	4.0A	150W	90~264V AC

[Top](#)

• 80 Plus Silver

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	SPI250A8BG 150x140x86	250W	15A	15A	16A	N/A	0.4A	3.0A	90W	90~264V AC
					16A					
	FSP500-60PFH 150x140x86	500W	24A	20A	16A	N/A	0.5A	3.0A	150W	90~264V AC
					16A					
	SPI500A8BB 150x140x86	500W	25A	25A	36A	N/A	0.5A	3.0A	150W	90~264V AC
	FSP550-60PFH 150x140x86	550W	24A	20A	16A	N/A	0.5A	3.0A	150W	90~264V AC
					16A					
	FSP250-62PFK 150x140x86	250W	15A	15A	16A	N/A	0.4A	3.0A	90W	90~264V AC
					16A					
	FSP300-62PFK 150x140x86	300W	15A	15A	16A	N/A	0.4A	3.0A	90W	90~264V AC
					16A					
	FSP500-62PFH 150x140x86	500W	24A	20A	16A	N/A	0.5A	3.0A	150W	90~264V AC
					16A					
	FSP550-62PFH 150x140x86	550W	24A	20A	16A	N/A	0.5A	3.0A	150W	90~264V AC
					16A					

[Top](#)

• 80 Plus Bronze

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	SPI250A8BBB 150x140x86	250W	14A	14A	17A	option	0.5A	3.0A	90W	90~264V AC
					17A					
	FSP250-60PFG 150x140x86	250W	19A	15A	15A	N/A	0.3A	3.0A	97W	90~264V AC
					10A			(3.5A Peak)		
	FSP300-70AGBBH 150x140x86	300W	19A	16A	17A	option	0.3A	2.5A	105W	90~264V AC
					17A			(3.5A Peak)		
	SPI300-70PFL 150x140x86	300W	19A	16A	17A	option	0.5A	3.0A	105W	90~264V AC
					17A			(3.5A Peak)		
	SPI300A8BB 150x140x86	300W	21A	15A	11A	N/A	0.3A	2.5A	103W	90~264V AC
					8A					
	SPI350A8BB 150x140x86	350W	21A	20A	16A	option	0.5A	3.0A	130W	90~264V AC
					16A					
	FSP350-70PFL 150x140x86	350W	21A	16A	17A	option	0.5A	3.0A	105W	90~265V AC
					17A					

	SPI400A8BB 150x140x86	400W	21A	20A	16A	option	0.5A	3.0A	130W	90~265V AC
					16A					
	FSP400-70PFL 150x140x86	400W	21A	16A	17A	option	0.5A	3.0A	110W	90~265V AC
					17A					
	FSP460-60PFG 150x140x86	460W	24A	20A	16A	option	0.5A	3.0A	150W	90~265V AC
					16A					
	FSP460-70PFL 150x140x86	460W	22A	16A	18A	option	0.5A	3.0A	120W	90~265V AC
					18A					
	SPI500A8BB 150x140x86	500W	25A	25A	36A	N/A	0.5A	3.0A	150W	90~265V AC
	SPI600A8BB 150x140x86	600W	25A	25A	16A	N/A	0.5A	4.0A	150W	90~265V AC
					16A					
	SPI700A8BB 150x140x86	700W	24A	30A	16A	N/A	0.5A	4.0A	170W	90~265V AC
					16A					
	FSP250-62PFG 150x140x86	250W	19A	15A	10A	N/A	0.3A	2.5A	97W	90~264V AC
					7A					
	FSP250-72PFL 150x140x86	250W	14A	14A	17A	Option	0.5A	3.0A (3.5A Peak)	90W	90~264V AC
					17A					
	FSP300-62PFG 150x140x86	300W	21A	15A	11A	N/A	0.3A	2.5A	103W	90~264V AC
					8A					
	FSP300-72PFL 150x140x86	300W	19A	16A	17A	Option	0.5A	3.0A (3.5A Peak)	105W	90~264V AC
					17A					
	FSP350-62PFG 150x140x86	350W	21A	20A	16A	Option	0.5A	3.0A	130W	90~264V AC
					16A					
	FSP350-72PFL 150x140x86	350W	21A	16A	17A	Option	0.5A	3.0A)	105W	90~264V AC
					17A					
	FSP400-62PFG 150x140x86	400W	21A	20A	16A	N/A	0.5A	3.0A	130W	90~264V AC
					16A					
	FSP400-72PFL 150x140x86	400W	21A	16A	17A	Option	0.5A	3.0A	110W	90~264V AC
					17A					
	FSP460-62PFG 150x140x86	460W	24A	20A	16A	Option	0.5A	3.0A	150W	90~264V AC
					16A					
	FSP460-72PFL 150x140x86	400W	22A	16A	18A	Option	0.5A	3.0A	120W	90~264V AC
					18A					

[Top](#)

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating							+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb	+24V		
	SPI400A8BB24 150x140x86	400W	16A	16A	16A 16A	option	0.5A	3.0A	5A	130W	90~264V AC
	FSP460-80PFL 150x140x86	460W	22A	16A	18A 18A	N/A	0.5A	3.0A	5A	130W	90~264V AC

[Top](#)

• 80 Plus

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	FSP250-70PFU 150x140x86	250W	20A	21A	16A	Option	0.3A	2.5A	150W	90~264V AC
					16A					
	SPI300A8B8 150x140x86	300W	19A	16A	17A	option	0.3A	2.5A	105W	90~264V AC
					17A					
	SPI350PFB 150x140x86	350W	20A	16A	16A	N/A	0.5A	2.5A	150W	90~264V AC
					16A					
	SPI400PFB 150x140x86	400W	20A	20A	16A	N/A	0.5A	2.5A	150W	90~264V AC
					16A					
	FSP460-60PFB 150x140x86	460W	22A	20A	16A	N/A	0.5A	2.5A	150W	90~264V AC
					16A					
	FSP350-62PFB 150x140x86	350W	20A	20A	16A	N/A	0.5A	2.5A	150W	90~264V AC
					16A					
	FSP400-62PFB 150x140x86	400W	20A	20A	16A	N/A	0.5A	2.5A	105W	90~264V AC
					16A					
	SPI460PFB2 150x140x86	460W	22A	20A	16A	N/A	0.5A	2.5A	150W	90~264V AC
					16A					

[Top](#)

• SFX

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	FSP200-60PLC 125X100X63.5	200W	12A	14A	14A	N/A	0.3A	2.5A	80W	90~264V AC

[Top](#)

• 80+ Bronze SFX

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	FSP250-60PLC 125X100X63.5	250W	14A	17A	18A	N/A	0.3A	2.5A	90W	90~264V AC

• 80+ Silver TFX

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	FSP300-60LDB 86X175X70	300W	21A	15A	11A	N/A	0.3A	3.0A	103W	90~264V AC
					8.0A					

• 80+ Bronze TFX

Product	Model Number Dimension WxLxH (mm)	Output Power	Output Current rating						+5 & +3.3V Max. Power	Input Voltage
			+3.3V	+5V	+12V	-5V	-12V	+5Vsb		
	FSP250-60LC(SI) 82X150X62.7	250W	12A	14A	18A	N/A	0.3A	2.5A	80W	90~264V AC

[Home](#)

[About SPI](#)

Overview

Philosophy

Where to buy

Jobs

[Product](#)

IPC Power Supplies

PC Power Supplies

Medical Power Supplies

Retail Package

Adapter

Open Frame

OEM/ODM Solution

Accessories

Legacy Products

[Support](#)

FAQ

RMA

Technical Information

Product Matrix

Reporting Template

[News](#)

Press Release

Events & Trade Shows

[Contact Us](#)