Shipping Currently Available to USA Addresses Only

Welcome to The Supermicro eStore





Menu

HOME / SUPERMICRO 900W MULTI-OUTPUT PS2/ATX POWER SUPPLY (PWS-903-PQ)

Supermicro 900W Multi-Output PS2/ATX Power Supply (PWS-903-PQ)



**IN STOCK** 

\$182.70

Buy 10 **\$175.16/each**Buy 100 **\$167.62/each**Buy 1000 **\$160.08/each** 

- Designed for Workstation and Desktop
- 24 Pin ATX Output
- 80 Plus Gold Efficiency
- Supermicro Certified

Qty: 1 ADD TO CART

Add to Wishlist | Add to Compare

# More Views











### PLEASE ENTER SKU# TO CHECK VALIDATION STATUS

SKU #: Please enter your server SKU

VALIDATION STATUS

CLEAR i

Description
Detailed Specification
Resources



### Prop 65 Warning

#### Description

The Supermicro PWS-903-PQ is an 80 Plus Gold level power supply capable of continuously supplying 900W output power at 90% efficiency. Enjoy the simplicity of active power factor correction (PFC) and automatically correct AC input for a full range of voltages and a quiet fan to keep it cool under heavy loads. This power supply is designed to not only provide you reliable power to your desktop or workstation but also protects it from over voltage, over current and short circuiting via protective circuitry embedded into the unit. Rest easy knowing your hardware will be up and running with a mean-time between failure (MTBF) of greater than 100,000 hours and an LED indicator to keep you informed on normal/abnormal conditions for your PSU. All materials contained comply with RoHS requirements and is certified by Supermicro.

#### Cables Included:

- 1x 24 Pin ATX (Motherboard)
- 1x 8 Pin 12V (CPU)
- 1x (4+4) 8 Pin 12V (CPU)
  - 2x 6 Pin PCI-E
  - 2x (6+2) 8 Pin PCI-E
  - 6x 4 Pin Legacy HDD
  - 2x 4 Pin Floppy/DVD Drive
  - 2x SATA Power Connectors

### **Detailed Specification**

TOTAL POWER OUTPUT	900W			
TYPE	Single			
TYPE OF POWER SUPPLY	Power Supply			
FORM FACTOR	Tower			
DIMENSION (W X H X L)	150 x 86 x 190			
+5V	25A			
+12V	12V1 25A, 12V2:25A, 12V3:25A, 12V4:25A Total:860W			
+3.3V	25A			
5V STANDBY	4A			
INPUT VOLTAGE RANGE	100-240Vac			
INPUT FREQUENCY RANGE	50-60Hz			
INPUT CURRENT RANGE	10-6A			
OUTPUT TYPE	24Pin ATX Cable Output			
8PIN / 4PIN (12V) CONNECTOR	Both			
PFC				



#### 12/19/2018

### Supermicro PWS-903-PQ 900W PS2/ATX 80 Plus Gold Power Supply

	Yes
PMBUS	No
ENERGY EFFICIENCY	90% Peak
80 PLUS CERTIFICATION	80 Plus Gold
WARRANTY	1 year warranty
PRODUCT ENVIRONMENTAL COMPLIANCE	RoHS and REACH compliant, details available upon request

#### Resources

TITLE	FORMAT	DATE	
PWS-903-PQ	Spec Sheet	March 2017	

## pp 65 Warning

Th ca

This product can expose you to chemicals including lead, known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to

www.p65Warnings.ca.gov

COMPANY	QUICK LINKS	ACCOUNT		SIGN UP FOR SPECIAL OFFERS	
ABOUT US CONTACT US CONDITION OF U SE	FAQ	MY ACCOUNT RETURN POLICY WARRANTY POLICY	CONNEC WITH US		SIGN UP
PRIVACY POLICY			FACEBO TWITTI YOUTU LINKED GOOGL	OOK ER JBE DIN	

© 2018 Supermicro. All Rights Reserved.

