



Sensors > Position Sensors > LVDT/LVIT Sensors > GENERAL PURPOSE LVDT



Linearity Error (Full Range):  $\pm .25\%$

Case Material: **Stainless Steel**

Product Diameter: **20.6 mm [ .812 in ]**

Product Shape: **Cylindrical**

Supply Voltage Range: **3 V**

Features

Product Type Features

Product Shape	Cylindrical
---------------	-------------

Configuration Features

Electrical Connection	Leads
-----------------------	-------

Electrical Characteristics

Supply Voltage Range	3 V
----------------------	-----

Signal Characteristics

Excitation Frequency	.4 – 5 kHz
----------------------	------------

Body Features

Case Material	Stainless Steel
Core Configuration	Separate Core

Dimensions

Product Diameter	20.6 mm[.812 in]
------------------	------------------

Usage Conditions

Operating Temperature Range	-55 – 150 °C[-67 – 302 °F]
-----------------------------	----------------------------

Industry Standards

IP Rating	IP61
-----------	------

Other



Linearity Error (Full Range)	±.25 %
------------------------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-LVDT0020  
GENERAL PURPOSE LVDT



TE Part # 04560952-000  
MTG BLOCK ASSY SS, HR, XS-D

Also in the Series | HR



LVDT/LVIT Sensors(34)

Customers Also Bought



TE Part #02560390-000  
GENERAL PURPOSE LVDT



TE Part #35183  
TERMINAL,SOLIS R 2 5/16



TE Part #3-1393253-7  
W68-X2Q12-30=M6/M7/M9/W6/W7



TE Part #8-1393211-6  
T92S11A22-24



TE Part #02350510-000  
GA-HD GCD-121-125 ASSY



TE Part #02560982-000  
LVDT DC-EC 125 ASSY



TE Part #M5256-00000E-006BG  
PRESS XDCR M5256-00000E-006BG



TE Part #02291333-000  
LDM-1000 LVDT CONDITIONER DIN



TE Part #10206670-00  
PRESS XDCR M5256-000002-060BG

Documents

Datasheets & Catalog Pages

General Purpose LVDT

English