02560995-000 × OBSOLETE

MEAS | MEAS DC TE Internal #: 02560995-000 TE Internal Description: LVDT DC-SE 4000 0-5V AND 1-6V LVDT POSITION SENSOR View on TE.com >



Sensors > Position Sensors > LVDT/LVIT Sensors > 0-5V AND 1-6V LVDT POSITION SENSOR



Linearity Error (Full Range): ±.25 % Case Material: Stainless Steel Product Diameter: 19.05 mm [.75 in] Product Shape: Cylindrical Supply Voltage Range: 8.5 – 28 V

Features

Product Type Features

Product Shape

Configuration Features

Electrical Connection

Shielded Cable

Cylindrical

Electrical Characteristics

Supply Voltage Range	8.5 – 28 V
Body Features	
Case Material	Stainless Steel
Core Configuration	Separate Core
Dimensions	
Product Diameter	19.05 mm[.75 in]
Usage Conditions	
Operating Temperature Range	-25 – 85 °C[-13 – 185 °F]
Operation/Application	
Output Signal Type	0-5V, 1-6V
Industry Standards	
IP Rating	IP61
Other	

LVDT DC-SE 4000



Linearity Error (Full Range)

±.25 %

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Also in the Series | MEAS DC




LVDT/LVIT Sensors(12)

Customers Also Bought

C For support call+1 800 522 6752

LVDT DC-SE 4000





TE Part #3-1617801-7 HFW5A1130S01=HALF SIZE RELAY

Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_02560995-000_H.2d_dxf.zip English Customer View Model

ENG_CVM_CVM_02560995-000_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_02560995-000_H.3d_stp.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_J05560383-000_A.2d_dxf.zip

English

Customer View Model

C For support call+1 800 522 6752

LVDT DC-SE 4000



ENG_CVM_CVM_J05560383-000_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_J05560383-000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages General purpose DC LVDT

English