### MEAS | MEAS 4030

TE Internal #: 4030-002-120

MEMS Accelerometer, Triaxial Sensing, Screw Mount, MEAS 4030

View on TE.com >



Sensors > Vibration Sensors



Accelerometer Type: MEMS DC

Vibration Sensor Product Type: MEMS Accelerometer

Number of Sensing Axes: **Triaxial** Frequency Response: **0-200 Hz** 

Full Scale Output Voltage: .5 – 4.5 VDC

### **Features**

### **Product Type Features**

Sensor Package	Plug & Play
Accelerometer Type	MEMS DC
Vibration Sensor Product Type	MEMS Accelerometer

## **Configuration Features**

Electrical Connection	Integral Cable

## **Electrical Characteristics**

Excitation Voltage Range	5 – 30 VDC
Full Scale Output Voltage	.5 – 4.5 VDC

### Signal Characteristics

Frequency Response	0-200 Hz
--------------------	----------

### **Body Features**

Primary Product Material	Nylon 6-6
Product Weight	50 g[.175 oz]
Number of Sensing Axes	Triaxial

### Mechanical Attachment

Sensor Mount Type	Screw Mount

## **Usage Conditions**

Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
-----------------------------	---------------------------



#### Operation/Application

Output Current Type	DC
Industry Standards	
IP Rating	IP65
Other	
Non-Linearity (FSO)	±1 %
Acceleration Range (±)	2 g
Sensitivity	1000 mV/g

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





# Also in the Series | MEAS 4030



# Customers Also Bought















## **Documents**

#### **CAD Files**

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_4030-002-120\_B.2d\_dxf.zip

English



**Customer View Model** 

ENG\_CVM\_CVM\_4030-002-120\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4030-002-120\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

4020\_4030\_Accelerometer

English