## 4525-DS5A001DP ACTIVE

#### MEAS | MEAS MS4525

TE Internal #: 4525-DS5A001DP

Analog Pressure Sensor Modules, Differential, 1 psi [.068 bar], 10 - 90% Vdc, ±0.25% Span Pressure Accuracy, Supply Voltage Range 5

V, MEAS MS4525

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors > PCB MOUNTED ANALOG PRESSURE SENSOR



Pressure Sensor Type: Analog Pressure Sensor Modules

Pressure Type: Differential
Proof Pressure Range: 1 psi
Pressure: .068 bar [1 psi]

Output Signal Type: 10 - 90% Vdc

#### **Features**

#### **Product Type Features**

Sensor Package	8 pin DIL
Leg Style	Through Hole
Pressure Sensor Type	Analog Pressure Sensor Modules
Pressure Type	Differential
Electrical Characteristics	

# Dimensions

Supply Voltage Range

Product Width	17.4 mm[.685 in]
Product Length	12.7 mm[.5 in]
Product Height	7.2 mm[.283 in]

5 V

### **Usage Conditions**

Pressure	.068 bar[1 psi]
Operating Temperature Range	-25 - 105 °C[-13 - 221 °F]

### Operation/Application

Proof Pressure Range	1 psi
Output Signal Type	10 - 90% Vdc
Pressure Accuracy	±0.25% Span



#### **Packaging Features**

Sensor Port Configuration	Dual Sideport
Other	
Sensor Options	No Option

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



Also in the Series | MEAS MS4525





## Customers Also Bought



TE Part #1658613-3 15 POS HDF PLUG, MS, LEAD FREE



TE Part #4525-DS3A001DP 1PSI DP PRESSURE SENSOR 10% TO 90%



TE Part #1734795-1 RJ45,8P8C,SHD,W/O LED,DIP 6u"





#### **Documents**

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_4525-DS5A001DP\_C.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4525-DS5A001DP\_C.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4525-DS5A001DP\_C.2d\_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### Datasheets & Catalog Pages

Data sheet

English

Analog Pressure Sensor Modules, Differential, 1 psi [.068 bar], 10 - 90% Vdc, ±0.25% Span Pressure Accuracy, Supply Voltage Range 5 V, MEAS MS4525

