# 4525DO-SS3AS015AP ✓ ACTIVE

### MEAS | MEAS MS4525DO

TE Internal #: 4525DO-SS3AS015AP

Digital Pressure and Altimeter Sensor Modules, Absolute, 15 psi  $[1.034 \ bar]$ , 14 bit ADC,  $\pm 0.25\%$  Span Pressure Accuracy, MEAS

MS4525DO

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors > PCB MOUNTED DIGITAL PRESSURE SENSOR



Pressure Sensor Type: Digital Pressure and Altimeter Sensor Modules

Pressure Type: Absolute
Proof Pressure Range: 15 psi
Pressure: 1.034 bar [ 15 psi ]
Output Signal Type: 14 bit ADC

### **Features**

#### **Product Type Features**

Troduct Type readures	
Sensor Package	8 pin DIL
Leg Style	Through Hole
Pressure Sensor Type	Digital Pressure and Altimeter Sensor Modules
Pressure Type	Absolute
Electrical Characteristics	
Supply Voltage Range	3.3 V
Dimensions	
Product Width	17.4 mm[.685 in]
Product Length	12.7 mm[.5 in]
Product Height	11.7 mm[.46 in]
Usage Conditions	

1.034 bar[15 psi]

I<sup>2</sup>C or SPI

15 psi

-25 - 105 °C[-13 - 221 °F]

Pressure

Operating Temperature Range

Operation/Application

Proof Pressure Range

Output Interface



Output Signal Type	14 bit ADC
Pressure Accuracy	±0.25% Span
Other	
Sensor Options	No Option

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



Also in the Series | MEAS MS4525DO





# Customers Also Bought


















## **Documents**

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_4525DO-SS3AS015AP\_D.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4525DO-SS3AS015AP\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_4525DO-SS3AS015AP\_D.3d\_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### Datasheets & Catalog Pages

Data sheet

English

Digital Pressure and Altimeter Sensor Modules, Absolute, 15 psi [1.034 bar], 14 bit ADC, ±0.25% Span Pressure Accuracy, MEAS MS4525DO



Product Specifications
MS45xx Series Surface Models

English