M323M-0000P-017BG - ACTIVE

MEAS | MEAS M3200

TE Internal #: 20014203-09 Industrial Pressure Transducer, Gauge, .5 – 4.5 V Output Signal Type, 2X Rated Proof Pressure Range, MEAS M3200 View on TE.com >



Sensors > Pressure Sensors > Pressure Transducers > Compact Industrial Pressure Transducer



Pressure Sensor Type: Industrial Pressure Transducer

Pressure: 17 bar [250 psi]

Pressure Type: Gauge

Supply Voltage Range: 4.75 – 5.25 V

Output Signal Type: .5 – 4.5 V

All Compact Industrial Pressure Transducer (41)

Features

Product Type Features

Pressure Sensor Type

Industrial Pressure Transducer

±0.25% FSO

Pressure Type	Gauge
Configuration Features	
Electrical Connection	Cable 1 m
Electrical Characteristics	
Supply Voltage Range	4.75 – 5.25 V
Dimensions	
Hex Width Across Flats	22.2 mm[.875 in]
Product Height	56.64 mm[2.23 in]
Usage Conditions	
Pressure	17 bar[250 psi]
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Operation/Application	
Output Signal Type	.5 – 4.5 V
Proof Pressure Range	2X Rated

Pressure Accuracy

M323M-00000P-017BG

Industrial Pressure Transducer, Gauge, .5 – 4.5 V Output Signal Type, 2X Rated Proof Pressure Range, MEAS M3200



Other

Sensor Options	Adhesive Label, No Snubber
Port Fitting	7/16 20UNF Female SAE J513 STRT THD W/ INT Valve Depressor
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Decamethylcyclopentasiloxane (D5) (.15% in Component part) Dodecamethylcyclohexasiloxane (D6) (.26% in Component part) 2-methyl-1-(4-methylthiophenyl)-2- morpholinopropan-1-one (15% in Component part) Article Safe Usage Statements:

Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not reviewed for solder process capability

Not Yet Reviewed for halogen content

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

M323M-00000P-017BG

Industrial Pressure Transducer, Gauge, .5 – 4.5 V Output Signal Type, 2X Rated Proof Pressure Range, MEAS M3200





Also in the Series | MEAS M3200



Pressure Transducers(41)

Customers Also Bought







M323M-00000P-017BG

Industrial Pressure Transducer, Gauge, .5 – 4.5 V Output Signal Type, 2X Rated Proof Pressure Range, MEAS M3200



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_20014203-09_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_20014203-09_H.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_20014203-09_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages M3200 Pressure Transducer

English