# MS580502BA01-50 ACTIVE



### MEAS | MEAS MS5805

TE Internal #: MS580502BA01-50

Digital Pressure and Altimeter Sensor Modules, Absolute, 24 bit

ADC, ±4mbar Pressure Accuracy, Supply Voltage Range 1.8 – 3.6 V,

MEAS MS5805

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors > MINIATURE DIGITAL PRESSURE SENSOR



Pressure Sensor Type: Digital Pressure and Altimeter Sensor Modules

Pressure Type: Absolute

Output Signal Type: 24 bit ADC Pressure Accuracy: ±4mbar

Supply Voltage Range: 1.8 – 3.6 V

#### All MINIATURE DIGITAL PRESSURE SENSOR (1)

### **Features**

#### Product Type Features

Product Type Features	
Sensor Package	Surface Mountable
Pressure Sensor Type	Digital Pressure and Altimeter Sensor Modules
Pressure Type	Absolute
Electrical Characteristics	
Supply Voltage Range	1.8 – 3.6 V
Dimensions	
Product Width	4.5 mm[.177 in]
Product Length	4.5 mm[.177 in]
Product Height	3.5 mm[.137 in]
Usage Conditions	
Operating Temperature Range	-40 – 85 °C[-4 – 185 °F]
Operation/Application	
Resolution	.02
Output Signal Type	24 bit ADC

±4mbar

Pressure Accuracy



#### Other

|--|

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




Also in the Series | MEAS MS5805

Digital Pressure and Altimeter Sensor Modules, Absolute, 24 bit ADC, ±4mbar Pressure Accuracy, Supply Voltage Range 1.8 – 3.6 V, MEAS MS5805







TE Part #ANT-GNCP-TH25AL12

THM

Antenna Cer Patch GNSS L1L2 25x25





03 MODII HDR SRST UNSHRD .100

TE Part #87220-3



## **Documents**

TE Part #CV3305-000 RW-175-3/8-X-STK

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_MS580502BA01-50\_1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_MS580502BA01-50\_1.3d\_igs.zip

Digital Pressure and Altimeter Sensor Modules, Absolute, 24 bit ADC, ±4mbar Pressure Accuracy, Supply Voltage Range 1.8 – 3.6 V, MEAS MS5805



English

**Customer View Model** 

ENG\_CVM\_CVM\_MS580502BA01-50\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Data sheet

English