

MEAS | MEAS SG TE Internal #: SG1-80-3 TE Internal Description: STRING POT, 80 INCH RANGE View on TE.com >



Sensors > Position Sensors > Potentiometer Sensors > Cable Actuated Position Sensors



Position Sensor Product Type: SG Series String Pots

Full Stroke Range: 2032 mm [ 80 in ]

Output Signal Type: Voltage Divider (Potentiometric)

Accuracy: ±.35 % of FS

Repeatability: .02 % of FS

## Features

### Product Type Features

Position Sensor Product Type

### **Body Features**

Case Material

SG Series String Pots

Polycarbonate + Stainless Mounting Bracket

#### Dimensions

Full Stroke Range	2032 mm[80 in]	
Usage Conditions		
Accuracy	±.35 % of FS	
Operating Temperature Range	-40 – 71 °C[-40 – 160 °F]	
Operation/Application		
Output Signal Type	Voltage Divider (Potentiometric)	
Industry Standards		
IP Rating	IP50	
Hazardous Area Approval	No	
Other		
Repeatability	.02 % of FS	
Encoder Drive	No	
Measuring Cable	Nylon-Coated Stainless Steel	



## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3% in Component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series | MEAS SG

STRING POT, 80 INCH RANGE





# **Customers Also Bought**



14POS,AMPSEAL,SOC HSG ASSY,SLD, COD 5	SMT TB R/A HEADER, 3.5MM, 2 POS	MINI USB, TYPE B, R/A, T/H	SPLICE REC. 1500-5000 .020 BR
-E TE	and a		
	= TE		
TE Part #290051-000	TE Part #ADP-SMAF-MCXM		
FLHTC0311-14-6	SMA Jack to MCX Plug		

## Documents

## CAD Files

## 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_SG1-80-3\_1.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_SG1-80-3\_1.3d\_igs.zip



English

Customer View Model ENG\_CVM\_CVM\_SG1-80-3\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

SG1

English