

MEAS | MEAS SK TE Internal #: SKD-400-3 TE Internal Description: 400 IN 0-10V / 4-20MA IP67 STRING POT IP67 String Potentiometer, 0-10V / 4-20MA

View on TE.com >



Sensors > Position Sensors > Potentiometer Sensors > Cable Actuated Position Sensors > IP67 String Potentiometer, 0-10V / 4-20MA



Position Sensor Product Type: SK Series, IP67 String Pots Full Stroke Range: 10160 mm [400 in] Output Signal Type: 0 – 10 VDC, 4 – 20 mA Accuracy: ±.35 % of FS Repeatability: .02 % of FS

All IP67 String Potentiometer, 0-10V / 4-20MA (2)

Features

Product Type Features

Position Sensor Product Type



SK Series, IP67 String Pots

Rody Fosturos

DU	uy	Ca	ιui	C 2

Case Material	Polycarbonate + Stainless Mounting Bracket					
Dimensions						
Full Stroke Range	10160 mm[400 in]					
Usage Conditions						
Accuracy	±.35 % of FS					
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]					
Operation/Application						
Output Signal Type	0 – 10 VDC, 4 – 20 mA					
Industry Standards						
IP Rating	IP67					
Hazardous Area Approval	No					
Other						
Repeatability	.02 % of FS					

400 IN 0-10V / 4-20MA IP67 STRING POT



Encoder Drive	No	
Measuring Cable	Nylon-Coated Stainless Steel	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Out of Scope	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed	
Halogen Content	Not Yet Reviewed for halogen content	
Solder Process Capability	Not reviewed for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



400 IN 0-10V / 4-20MA IP67 STRING POT






Also in the Series | MEAS SK



Customers Also Bought



TE Part #3-1630186-6	TE Part #796634-5	TE Part #640582-1	TE Part #770903-3
HSA50 14R 5%	5 POS 5.08MM R/A PLUG,TRM BLK	08P UMNL PLUG HSG	MINI UMNL PIN 22-18 AWG AU
ETE		= TE	= TE
TE Part #5557785-1	TE Part #640586-1	TE Part #350537-7	TE Part #1-770904-0
MJ,8POS,R/A,LPF	08P UMNL PLUG HSG V2 NATL	UMNL SOK 20-14 .0126 AUNI/BR	MINI UMNL SOK 22-18 AWG AU



SKD-400-3

400 IN 0-10V / 4-20MA IP67 STRING POT



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_SKD-400-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_SKD-400-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_SKD-400-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SKD

English