



Sensors > Temperature Sensors > NTC THERMISTORS > Discrete NTC Thermistors > DO-35 SERIES DISCRETE GLASS AXIAL NTC

Products

GA10KF3450DPHFN

RSEN-HD DO-35 SERIES



MEAS | MEAS DO-35

TE Internal #: GA10KF3450DPHFN TE Internal Description: **RSEN-HD DO-35**

SERIES

All DO-35 SERIES DISCRETE GLASS AXIAL NTC

Model Number: GA10KF3450DPHFN


Sensor Type: NTC Thermistor Package: D0-35 Glass NTC

Wire/Cladding Connection: Nickel Plated

Copper Clad Steel , .5mm OD

Wire Length (mm): 28

Compatible Parts & Tooling



Documents	Features	Product Compliance
Product Description	The DO-35 glass axial NTC thermistor sensor is hermetically sealed in a DO-35 diode style glass encapsulated package. View All DO-35 SERIES DISCRETE GLASS AXIAL NTC	
Datasheets & Catalog Pages	10KF3450DPHF-DO-35-Series-Thermistor LENG_DS_10KF3450DPHF-DO-35-Series-Thermistor_A.pdf English	
Product Description	The DO-35 glass axial NTC thermistor sensor is hermetically sealed in a DO-35 diode style glass encapsulated package. View All DO-35 SERIES DISCRETE GLASS AXIAL NTC	
Please review produ	uct documents or contac	t us for the latest agency approval
Product Type Features	Model Number: GA10KF3450DPHFN Sensor Type: NTC Thermistor Tolerance β-Value (%): ±1	

Signal Characteristics	25/85 Beta Value (K): 3450	
Body Features	Wire Connection: Open End	
Dimensions	Wire Length (mm): 28	
Usage Conditions	Resistance (at Tref) (kΩ): 10 Tolerance Resistance (%): ±1 Ambient Temperature Range (°C): -40 – 300 T_ref for Resistance (°C): 25 Temperature Accuracy (°C): ±.2 @ 25 Maximum Temperature: 300 °C [572 °F]	
Operation/Applicati	ion Wire/Cladding Connection: Nickel Plated Copper Clad Steel , .5mm OD	
Packaging Features	Package: D0-35 Glass NTC	
	irective 2011/65/EU incl. Delegated Directive 2015/863/EU. The restrictions of 22 July 2021 for EEE categories 8 (medical devices) and 9 (monitoring and	
EU ELV Directive 2000/53/EC		
China RoHS 2 Directive MIIT Order No 32, 2016		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197)	
Halogen Content		
Solder Process Capability	Not reviewed for solder process capability	
Statement of Compliance	Statement of Compliance pdf	
Compliance	There may be Environmental Compliance related documents on the DOCUMENTATION Tab	

in f

Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as ${\sf EU}$ ${\sf ELV}$ compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be

updating its statements accordingly.

Also in the Series | MEAS DO-35



ABOUT TE CONNECTIVITY FOR PARTNERS SUPPORT CALL US LIVE CHAT UNITED STATES (EN)