Product data sheet Characteristics

XMLP600PP1F0Q PRESSURE TRANSMITTER 600PSI 0,5-4,5V DC





Ordering and shipping details

US10DS222419
0DS2
3389119640329
Yes
CH

Packing Units

· coming orms		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	3.9 in (10.0 cm)	
Package 1 Width	5.7 in (14.5 cm)	
Package 1 Length	6.9 in (17.5 cm)	
Package 1 Weight	3.0 oz (84.0 g)	
Unit Type of Package 2	S03	
Number of Units in Package 2	100	
Package 2 Height	11.8 in (30.0 cm)	
Package 2 Width	11.8 in (30.0 cm)	
Package 2 Length	15.7 in (40.0 cm)	
Package 2 Weight	20.091 lb(US) (9.113 kg)	


Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
RoHS exemption information	₫Yes
Circularity Profile	No need of specific recycling operations

Product data sheet Dimensions Drawings

XMLP600PP1F0Q

Dimensions




(1) SW24 tightening torque ≤ 25 N.m / 221 lb-in

XMLP600PP1F0Q

Wiring Diagram

3-Wire Technique (0.5 – 4.5 V)



XMLP600PP1F0Q

Curves

