



Power It! 8-Outlet Safety Power Strip, 12 ft. (3.66 m) Cord with GFCI Plug

MODEL NUMBER: TLM812GF











Highlights

- 8 outlets (including transformer outlets and 4 safety covers)
- 12-ft. (3.66 m) cord with GFCI plug
- Cord wrap with hang holes
- · Rugged metal case

Package Includes

- TLM812GF Safety Power Strip
- 4 safety covers
- · Owner's manual

Description

This power strip is designed to safely distribute power to connected equipment in harsh environments. It provides a convenient source for multiple outlets wherever they're needed. Eight outlets distribute AC power to a wide range of power tools, pumps, machinery, air compressors and more. Convenient transformer outlets accommodate multiple transformers without blocking other outlets. A 12-foot (3.7-meter) grounded cord with integrated cord clip reaches distant outlets. A GFCI plug protects users from electrical shock in wet or humid environments. A lighted on/off switch provides power control over connected equipment. Four safety covers shield unused outlets from debris and accidental contact. A rugged metal case stands up to the harshest environments. Built-in cord wrap with hang holes provides convenient cord management. Integrated keyhole slots on bottom panel provide convenient wall/desk mounting. Its bright yellow color alerts you and others that power cords and tools are in use.

Features

- 8 outlets distribute AC power to a wide range of power tools, pumps, machinery, air compressors and more.
- Convenient transformer outlets accommodate multiple transformers without blocking other outlets.
- A 12-ft. (3.7 m) grounded cord with integrated cord clip reaches distant outlets.
- A GFCI plug protects users from electrical shock in wet or humid environments.
- A lighted on/off switch with integrated 15 amp circuit breaker provides power control and overload protection over connected equipment.
- 4 safety covers shield unused outlets from debris and accidental contact.
- A rugged metal case stands up to the harshest environments.
- Built-in cord wrap with hang holes provides convenient cord management.
- Integrated keyhole slots on bottom panel provide convenient wall/desk mounting.
- Its bright yellow color alerts you and others that power cords and tools are in use.
- OSHA color guidelines, outlined in Document 1910.145, alert users to hazardous situations, which may
 cause minor or moderate injury. This product complies with those guidelines.

Specifications





OVERVIEW		
UPC Code	037332140135	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Recommended Electrical Service	15A 120V	
Input Cord Gauge Type	14 gauge; SJT	
Voltage Compatibility (VAC)	120	
Input Plug Type	NEMA 5-15P	
Input Cord Length (ft.)	12	
Right-Angle Plug	No	
Input Cord Length (m)	3.66	
Integrated Cord Clip	Yes	
OUTPUT		
Frequency Compatibility	60 Hz	
Output (Watts)	1800	
Output Receptacles	(8) 5-15R	
Circuit Breaker (amps)	15	
Overload Protection	GFCI plug	
Transformer Accommodation	(6) Yes	
Outlet Orientation	1 bank of 5, 1 bank of 3 (transformer outlets)	
Right-Angle Outlets	Yes	
Outlet Safety Covers Detail	Includes 4 outlet safety covers	
USER INTERFACE, ALERTS & CONTROLS		
Switches	Combination AC circuit breaker and 2 position red illuminated on/off power switch	
Combination Activate steaker and 2 position red multimated on/on power switch		
PHYSICAL		
Color	Yellow; Black	
Material of Construction	Metal	
Power Cord Color	Yellow	
Housing Color	Yellow; Black	
Mounting Holes or Slots	Yes	
Slot or Hole Mount Measurement (Center to Center)	145mm	
Outlets Measurement (Center to Center)	Distance between standard outlets = 1 in.; Distance between transformer outlets = 2 in.	





Receptacle Color	Black	
Shipping Dimensions (hwd / in.)	2.50 x 10.00 x 14.80	
Shipping Dimensions (hwd / cm)	6.35 x 25.40 x 37.59	
Shipping Weight (lbs.)	3.60	
Shipping Weight (kg)	1.63	
Unit Dimensions (hwd / in.)	10.260 x 5.130 x 1.570	
Unit Dimensions (hwd / cm)	26.06 x 13.03 x 3.99	
Unit Weight (lbs.)	4.63	
Unit Weight (kg)	2.10	
FEATURES & SPECIFICATIONS		
Antimicrobial	No	
Built-In Circuit Breaker	Yes	
STANDARDS & COMPLIANCE		
Product Certifications	cUL Listed; UL Listed	
Product Compliance	RoHS	
WARRANTY & SUPPORT		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

1000 Eaton Boulevard Cleveland, OH 44122 United States https://tripplite.eaton.com © 2025 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.