JIUNGSRAM[™]

Innovation is our heritage EST. 1896



Lightech NDL Phase dim. OT LED48CC1050EPD GE 97513

Product information

Product data

Product Code	97513
Class II	Yes
ENEC	Yes
SELV	Yes
Product colour	Black
Dimmable	TE (25 %)
Form factor	Aluminum SL
Height [mm]	31
Length [mm]	153
Width [mm]	40
IP	67
Weight [g]	317
IP67	Yes

Performance data

Colour (product colour)	Black
Ambient temperature min. [°C]	-25 °C
Ambient temperature max. [°C]	50 °C
Case temperature [°C]	85 °C
Power factor	0.98
Efficiency [%]	89

Electrical data

Input frequency	50/60Hz
Output voltage range	12-46V
Drive Current [mA]	1050mA
Input voltage range	220-240V
Nominal power [W]	48
Nominal lamp voltage [V]	230

Logistic data

Product status

Phased-out

Disclaimer

This product is intended to be used as a lamp control gear that has to be installed after the mains control switch.



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.