JIUNGSRAM[™]

Innovation is our heritage EST. 1896



Lightech 1-3W (Phasing out) GE-LED1CC350EP 98301

Product information

TUNGSRAM[®]

Product data

Product Code	98301
Class II	No
ENEC	Yes
SELV	Yes
Product colour	Black
Dimmable	No
Form factor	Plastic SL
Height [mm]	25
Length [mm]	34
Width [mm]	32
IP	67
Weight [g]	73.33
IP67	Yes

Performance data

Colour (product colour)	Black
Ambient temperature min. [°C]	-25 °C
Ambient temperature max. [°C]	50 °C
Case temperature [°C]	70 °C
Power factor	0.57
Efficiency [%]	50

Electrical data

Input frequency	50/60Hz
Output voltage range	2-4V
Drive Current [mA]	350mA
Input voltage range	120-240V
Nominal power [W]	1
Nominal lamp voltage [V]	230

Logistic data

Product status

Phased-out

Disclaimer

This product is intended to be used as a lamp control gear and is suitable for no-load applications.



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.