





Color: ■ gray



WAGO's back-up capacitor module smoothes unstable 24 VDC power supplies for electronic modules in case the voltage tolerances mentioned in our data sheets cannot be ensured. Reasons for voltage transients could be:

- Features:**
- Power interruptions (switching transients) on primary side
 - Overloads on secondary side
 - Switching of inductive or capacitive loads

The back-up capacitor module is connected between the 24 V power supply and the electronic device to be protected.

Notes	
Safety information	Notice: Using insufficiently smoothed and unregulated single-phase power supplies may lead to voltage increases by the back-up capacitor module.

Technical data			
Input		Energy storage systems	
Nominal input voltage $U_{i, nom}$	DC 24 V	Nominal capacity	10000 μ F
Input voltage range	0 ... +25 %		
Input current I_i	≤ 1 A		

Connection data	
Connection technology	CAGE CLAMP®
WAGO connector	WAGO 236 Series
Solid conductor	0.08 ... 2.5 mm² / 28 ... 12 AWG
Fine-stranded conductor	0.08 ... 2.5 mm² / 28 ... 12 AWG
Strip length	5 ... 6 mm / 0.2 ... 0.24 inches



Physical data	
Width	38 mm / 1.496 inches
Height	85 mm / 3.346 inches
Depth from upper-edge of DIN-rail	81 mm / 3.189 inches

Mechanical data	
Housing design	Mounting carrier
Mounting type	DIN-35 rail

Material data	
Color	gray
Fire load	0.89 MJ
Weight	101.6 g

Standards and specifications	
Conformity marking	CE

Commercial data	
Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-04-07-01
eCl@ss 9.0	27-04-07-01
ETIM 8.0	EC002540
ETIM 7.0	EC002540
PU (SPU)	8 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454649593
Customs tariff number	85322200000

Environmental Product Compliance	
CAS-No.	7439-92-1 79-94-7
REACH Candidate List Substance	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a) 7(c)-I 7(c)-II
SCIP notification number (Austria)	5f79e0aa-2f0b-49f4-b003-dcd5ad5c3506
SCIP notification number (Belgium)	a4d10e7f-4810-4932-8c96-ec9e9bbc1777
SCIP notification number (Bulgaria)	5bdb77e1-746c-498e-aafc-50d004df968f
SCIP notification number (Czech Republic)	7d64f929-7103-4f3e-aac1-4db1205a602c
SCIP notification number (Denmark)	e2b69e29-763d-4c72-919c-bd9c6e2c4d7a
SCIP notification number (Finland)	30e8b00e-a9db-4ae1-9ae3-e0493b74c2f2
SCIP notification number (France)	1b9d452b-68f6-496c-8243-047124270fa6
SCIP notification number (Germany)	5d2ddd3e-b428-4503-b936-4a5bd0c66b20
SCIP notification number (Hungary)	f2df32dd-8798-4896-ad13-3de66f63f74c
SCIP notification number (Italy)	2923de86-1705-457c-89a0-678fdb089258
SCIP notification number (Netherlands)	781b42a9-6019-4810-bacc-9b995377f98
SCIP notification number (Poland)	222639a1-4bf7-486f-a8ed-4815b4dbff98
SCIP notification number (Romania)	ae94b7d7-f10a-4504-97b5-a47bcd10c034
SCIP notification number (Sweden)	5b380c20-fa31-44b9-91b1-58591f758868



Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 288-824	↓

Documentation			
Bid Text		Instruction Leaflet	
288-824	19.02.2019	xml 4.02 KB	↓
288-824	09.01.2019	docx 14.88 KB	↓
		pdf 1246.19 KB	↓

CAD/CAE-Data	
CAD data	CAE data
2D/3D Models 288-824	EPLAN Data Portal 288-824
	WSCAD Universe 288-824
	ZUKEN Portal 288-824