




Huawei Tecal RH2285 Server Compatibility List

Version 2.15
Date 2013-3-15

Copyright © Huawei Technologies Co., Ltd. 2011. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions



and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Technologies Co., Ltd.

Address: Huawei Industrial Base
Bantian, Longgang
Shenzhen 518129
People's Republic of China

Website: <http://www.Huawei.com>

Email: support@Huawei.com

About This Document

Purpose

This document describes the compatibility of HUAWEI Server in terms of its processor, dual in-line memory module (DIMM), hard disk controller, hard disk, operating system (OS), peripheral component interconnect express (PCIe) card, third-party storage device, and certification.

Intended Audience

This document is intended for:

- Server customers
- Technical support personnel
- Maintenance personnel
- Account managers
- Product managers
- Sales managers

Symbol Conventions

The symbols that may be found in this document are defined as follows.

Symbol	Description
 DANGER	Alerts you to a high risk hazard that could, if not avoided, result in serious injury or death.
 WARNING	Alerts you to a medium or low risk hazard that could, if not avoided, result in moderate or minor injury.
 CAUTION	Alerts you to a potentially hazardous situation that could, if not avoided, result in equipment damage, data loss, performance deterioration, or unanticipated results.
 TIP	Provides a tip that may help you solve a problem or save time.
 NOTE	Provides additional information to emphasize or supplement important points in the main text.

Contents

About This Document..... ii

1 Huawei Tecal RH2285 Server4

1.1 Processor 4

1.2 DIMM 5

1.3 Hard Disk Controller 6

1.4 Hard Disk 6

1.5 OS..... 8

1.6 PCIe Card 10

1.7 Storage Device 11

1.8 Certification..... 11

1.9 Peripherals..... 13

1.10 Power Supply 13

1 Huawei Tecal RH2285 Server

1.1 Processor

No.	Part Number	Description	Remarks	For sale
1.	41020186	Intel Xeon Processor E5504 Nehalem - 4 Core - 2.00GHz - QPI 4.80GT/s - L3 Cache 4MB - 80W	EOM	N
2.	41020174	Intel Xeon Processor E5506 Nehalem - 4 Core - 2.13GHz - QPI 4.80GT/s - L3 Cache 4MB - 80W	EOM	N
3.	41020205	Intel Xeon Processor E5507 Nehalem - 4 Core - 2.26GHz - QPI 4.80GT/s - L3 Cache 4MB - 80W	EOM	N
4.	41020175	Intel Xeon Processor E5520 Nehalem - 4 Core - 2.26GHz - QPI 5.86GT/s - L3 Cache 8MB - 80W	EOM	N
5.	41020187	Intel Xeon Processor E5530 Nehalem - 4 Core - 2.40GHz - QPI 5.86GT/s - L3 Cache 8MB - 80W	EOM	N
6.	41020178	Intel Xeon Processor E5540 Nehalem - 4 Core - 2.53GHz - QPI 5.86GT/s - L3 Cache 8MB - 80W	EOM	N
7.	41020235	Intel Xeon Processor E5606 Westmere - 4 Core - 2.13GHz - QPI 4.80GT/s - L3 Cache 8MB - 80W		Y
8.	41020236	Intel Xeon Processor E5607 Westmere - 4 Core - 2.26GHz - QPI 4.80GT/s - L3 Cache 8MB - 80W		Y
9.	41020204	Intel Xeon Processor E5620 Westmere - 4 Core - 2.40GHz - QPI 5.86GT/s - L3 Cache 12MB - 80W		Y
10.	41020203	Intel Xeon Processor E5630 Westmere - 4 Core - 2.53GHz - QPI 5.86GT/s - L3 Cache 12MB - 80W		Y

11.	41020202	Intel Xeon Processor E5640 Westmere - 4 Core - 2.66GHz - QPI 5.86GT/s - L3 Cache 12MB - 80W		Y
12.	41020196	Intel Xeon Processor E5645 Westmere - 6 Core - 2.40GHz - QPI 5.86GT/s - L3 Cache 12MB - 80W		Y
13.	41020181	Intel Xeon Processor X5550 Nehalem - 4 Core - 2.66GHz - QPI 6.40GT/s - L3 Cache 8MB - 95W	EOM	N
14.	41020189	Intel Xeon Processor X5570 Nehalem - 4 Core - 2.93GHz - QPI 6.40GT/s - L3 Cache 8MB - 95W	EOM	N
15.	41020201	Intel Xeon Processor X5650 Westmere - 6 Core - 2.66GHz - QPI 6.40GT/s - L3 Cache 12MB - 95W		Y
16.	41020199	Intel Xeon Processor X5670 Westmere - 6 Core - 2.93GHz - QPI 6.40GT/s - L3 Cache 12MB - 95W		Y
17.	41020239	Intel Xeon Processor L5630 Westmere - 4 Core - 2.13GHz - QPI 5.86GT/s - L3 Cache 12MB - 40W		Y

Note: The CPUs configured for one server must be of the same specifications.

1.2 DIMM

No.	Part Number	Description	Remarks	For sale
1.	06200100	DDR3 RDIMM-1GB-1Rx8 1Gbit- 1.5V 1333-Height 30mm	EOM	N
2.	06200101	DDR3 RDIMM-2GB-2Rx8 1Gbit- 1.5V 1333-Height 30mm	EOM	N
3.	06200102	DDR3 RDIMM-4GB-2Rx4 1Gbit- 1.5V 1333-Height 30mm	EOM	N
4.	06200105	DDR3 RDIMM-4GB-2Rx8 2Gbit- 1.5V 1333-Height 30mm	EOM	N
5.	06200103	DDR3 RDIMM-8GB-2Rx4 2Gbit- 1.5V 1333-Height 30mm	EOM	N
6.	06200108	DDR3 RDIMM-16GB-4Rx4 2Gbit- 1.5V 1333-Height 30mm	EOM	N
7.	06200109	DDR3 RDIMM-2GB-1Rx8 2Gbit- LV 1.35V 1333-Height 30mm	EOM	N

8.	06200110	DDR3 RDIMM-4GB-2Rx8 2Gbit- LV 1.35V 1333-Height 30mm		Y
9.	06200111	DDR3 RDIMM-8GB-2Rx4 2Gbit- LV 1.35V 1333-Height 30mm		Y
10.	06200114	DDR3 RDIMM-8GB-4Rx8 2Gbit- LV 1.35V 1333-Height 30mm	EOM	N
11.	06200107	DDR3 RDIMM-16GB-2Rx4 4Gbit- LV 1.35V 1333-Height 30mm		Y
12.	06200123	DDR3 RDIMM-8GB-2Rx8 4Gbit- 1.35V 1600-Height 30mm	1600MHz not be supported by CPU	Y

Note: The DIMMs configured for one server must be of the same specifications.

1.3 Hard Disk Controller

No.	Part Number	Description	Remarks	For sale
1.	03020PLF	SR100 Server Raid Controller- SAS 3G/SATA 3G - RAID0 / RAID1 / RAID1E		Y
2.	03021GCE	SR201 Server Raid Controller- SAS 3G/SATA 3G - Cache 512MB - RAID0 / RAID1 / RAID10 /RAID5 / RAID6		Y
3.	03021GCF	SR301 Server Raid Controller- SAS 3G/SATA 3G - Cache 512MB - RAID0 / RAID1 / RAID10 /RAID5 / RAID6		Y

1.4 Hard Disk

No.	Part Number	Description	Remarks	For sale
1.	06210133	10000 RPM - 2.5' SAS 6Gbps -300GB HDD		Y
2.	06210148	10000 RPM - 2.5' SAS 6Gbps -600GB HDD		Y
3.	06210175	10000 RPM - 2.5' SAS 6Gbps -900GB HDD		Y

4.	06210186	7200 RPM - 2.5' NL SAS 6Gbps - 1000GB HDD		Y
5.	06210157	7200 RPM - 2.5' SATA 6Gbps - 500GB HDD		Y
6.	06210169	7200 RPM - 2.5' SATA 6Gbps - 1000GB HDD		Y
7.	06210151	MLC - 2.5' SATA 3Gbps -160GB SSD		Y
8.	06210163	MLC - 2.5' SATA 3Gbps -300GB SSD		Y
9.	06210168	MLC - 2.5' SATA 3Gbps -600GB SSD		Y
10.	06210132	15000 RPM - 3.5' SAS 6Gbps -300GB HDD		Y
11.	06210147	15000 RPM - 3.5' SAS 6Gbps - 600GB HDD		Y
12.	06210182	7200 RPM - 3.5' NL SAS 6Gbps - 2000GB HDD		Y
13.	06210183	7200 RPM - 3.5' NL SAS 6Gbps - 1000GB HDD		Y
14.	06210123	7200 RPM - 3.5' SATA 3Gbps -500GB HDD		Y
15.	06210160	7200 RPM - 3.5' SATA 6Gbps - 500GB HDD	See1	Y
16.	06210131	7200 RPM - 3.5' SATA 3Gbps -1000GB HDD		Y
17.	06210158	7200 RPM - 3.5' SATA 6Gbps -1000GB HDD	See1	Y
18.	06210143	7200 RPM - 3.5' SATA 3Gbps - 2000GB HDD		Y
19.	06210159	7200 RPM - 3.5' SATA 6Gbps - 2000GB HDD	See1	Y

1. If you use the SR100 hard disk controller, check that its firmware version is 1.32.00.00-IR or later, its NVDATA version is 2D.0A or later, its SAS BIOS version is 6.34.00.00 or later.

If you use the SR201/SR301 hard disk controller, check that its firmware version is 1.40.322-1445 or later.

1.5 OS

No.	Model	Description	Remarks	For sale
1.	Windows2003 R2	Microsoft Windows Sever 2003 R2 Enterprise/Standard Edition 32/64bit Microsoft Certification URL: ►		Y
2.	Windows2008 SP2	Microsoft Windows Sever 2008 SP2 32bit Microsoft Certification URL: ►		Y
3.	Windows2008 R2	Microsoft Windows Sever 2008 R2 64bit Microsoft Certification URL: ►		Y
4.	RHEL 4U7	Red Hat Enterprise Linux AS 4 Update 7 for x86/Intel EM64T		Y
5.	RHEL 4U8	Red Hat Enterprise Linux AS 4 Update 8 for x86/Intel EM64T		Y
6.	RHEL 5U3	Red Hat Enterprise Linux 5.Update 3 Server for x86/Intel EM64T RedHat Certification URL: ►		Y
7.	RHEL 5U4	Red Hat Enterprise Linux 5. Update 4 Server for x86/Intel EM64T		Y
8.	RHEL 5U5	Red Hat Enterprise Linux 5. Update 5 Server for x86/Intel EM64T		Y
9.	RHEL 5U6	Red Hat Enterprise Linux 5. Update 6 Server for x86/Intel EM64T		Y
10.	RHEL 6	Red Hat Enterprise Linux 6. Server for x86/Intel EM64T RedHat Certification URL: ►		Y
11.	RHEL 6U1	Red Hat Enterprise Linux 6. Update 1 Server for x86/Intel EM64T		Y
12.	RHEL 6U2	Red Hat Enterprise Linux 6. Update 2 Server for x86/Intel EM64T		Y

13.	SLES 10.2	SUSE Linux Enterprise Server 10 Service Pack 2 for x86/Intel EM64T		Y
14.	SLES 10.3	SUSE Linux Enterprise Server 10 Service Pack 3 for x86/Intel EM64T SUSE Certification URL: ► and ►		Y
15.	SLES 10.4	SUSE Linux Enterprise Server 10 Service Pack 4 for x86/Intel EM64T		Y
16.	SLES 11.1	SUSE Linux Enterprise Server 11 Service Pack 1 for x86/Intel EM64T SUSE Certification URL: ► and ►		Y
17.	SLES 11.2	SUSE Linux Enterprise Server 11 Service Pack 2 for x86/Intel EM64T		Y
18.	Citrix 5.6	Citrix XenServer 5.6.0 Citrix Certification URL: ►		Y
19.	Vmware 4.1	Vmware ESX 4.1.0 Vmware Certification URL: ►		Y
20.	Vmware 5.0	Vmware ESX 5.0.0 Vmware Certification URL: ►		Y
21.	Oracle 5U3	Oracle Enterprise Linux 5. Update 3 Server for x86/Intel EM64T		Y
22.	Oracle 5U4	Oracle Enterprise Linux 5. Update 4 Server for x86/Intel EM64T Oracle Certification URL: ►		Y
23.	Kylin V3.0	Kylin Linux V3.0 for Intel EM64T		Y
24.	Kylin V3.2	Kylin Linux V3.2 for x86/Intel EM64T		Y
25.	NeoKylin v5.0	NeoKylin Linux Security OS V5.0 for x86/Intel EM64T NeoKylin Certification URL: ►		Y

26.	NeoKylin v5.6	NeoKylin Linux Advanced Server V5.0Update6 for x86/Intel EM64T NeoKylin Certification URL: ▶		Y
27.	Ubuntu 9.10	Ubuntu 9.10 Server Edition for x86/Intel EM64T		Y
28.	Ubuntu 10.04	Ubuntu 10.04 Server Edition for x86/Intel EM64T		Y
29.	Ubuntu 11.10	Ubuntu 11.10 Server Edition for x86/Intel EM64T		Y
30.	CentOS 5U3	CentOS Linux 5. Update 3 for x86/Intel EM64T		Y
31.	CentOS 5U4	CentOS Linux 5. Update 4 for x86/Intel EM64T		Y
32.	CentOS 5U5	CentOS Linux 5. Update 5 for x86/Intel EM64T		Y
33.	Solaris 10U8	Solaris 10 Update 8	See ¹	Y
34.	Solaris 10U9	Solaris 10 Update 9		Y
35.	Fedora 12	Fedora 12 for x86/Intel EM64T		Y
36.	Fedora 13	Fedora 13 for x86/Intel EM64T		Y

1.Don't support SR200 hard disk controller

1.6 PCIe Card

No.	Part Number	Description	Remarks	For sale
1.	06030221	Single Port 8Gbps Fibre Channel Host Bus Adapter PCIE 2.0 x4 multi-mode optic		Y
2.	06030220	Dual Port 8Gbps Fibre Channel Host Bus Adapter PCIE 2.0 x4 multi-mode optic		Y
3.	06310025	Quad port Gigabit Ethernet Card RJ45 Copper PCIE 2.0 X4-8086-150E-4		Y

4.	06310026	Dual Port 10 Gigabit Ethernet Server Adapter,LC Fiber Optic,PCIE 2.0 X8-8086-10FB-2		Y
5.	03030NQC	The 3rd Generation PCIE SSD Card 640GB 25nm PCIE 1.1 X8		Y

1.7 Storage Device

No.	Part Number	Description	Remarks	For sale

1.8 Certification

No.	Country/Region	Certification	Remarks
1	China	RoHS	Default
2	China	CEC	Certificate: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A6784902453#tab:generalTab

3	China	CCC	Certificate: AC: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A6698232983#tab:generalTab DC: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A7389699277#tab:generalTab Report: AC: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A6698232983#tab:generalTab DC: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A7389699277#tab:generalTab
4	Europe	WEEE	Default
5	America	MET	Certificate: N/A Report: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A7280429433#tab:generalTab
6	Australia	C-tick	Certificate: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A6461396568#tab:generalTab Report: http://pdm.huawei.com/Windchill/navigator/html/ext/huawei/documents/huaweiview.html?oid=VR%3Aext.huawei.huaweidoc.HuaweiDoc%3A6461396547#tab:generalTab

1.9 Peripherals

No.	Part Number	Description	Remarks	For sale
1.	06020088	DVDRW-CD 24X/DVD 8X,USB2.0,External,USB 2.0 5V power		Y
2.	06020085	DVDRW-CD 24X/DVD 8X, Embedded,SATA,5V POWER		Y

1.10 Power Supply

No.	Part Number	Description	Remarks	For sale
1.	02130957	AC/DC Power Module 460W 90V-264V/6~3A +12V/38A 94.0% Platinum		Y
2.	02270098	DC/DC Power Module 580W 12.0-12.36V /55A +12V/48A 98.0%	Only for china	Y
3.	98080310	AC/DC Power Module 750W 100V-240V /9.0~4.5A +12V/62.5A 92.0% Gold		Y
4.	02270113	DC/DC Power Module 824W -38V- -75V/26A +12V/65A 93.5% Gold		Y

Note: The PSUs configured for one server must be of the same specifications.