Specifications

APC Smart-UPS 48V 3KW, 600Wh LI Battery Pack



XBP48RM1U2-LI

Overview

Lead Time

Usually in Stock

Main

Number Of Rack Unit	1U
Battery Type	Li-Ion (Lithium-Ion)
Provided Equipment	Documentation CD Installation guide Rack mounting brackets Warranty card

Batteries & Runtime

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Stand alone battery stack
Battery Voltage	48 V

Physical

Colour	Black with silver front bezel
Height	4.4 cm
Width	43.2 cm
Depth	53.6 cm
Net Weight	12 kg
Mounting Mode	Rack-mounted

Environmental

Ambient Air Temperature For Operation	040 °C
Operating Altitude	010000 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature For Storage	-1545 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type Of Package 1

Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number Of Units In Package 1	1
Package 1 Height	24.4 cm
Package 1 Width	74.9 cm
Package 1 Length	59.4 cm
Package 1 Weight	37 kg

Contractual warranty

Warranty

5 year repair or replace

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Resource performance

Energy Efficient Product

Take-Back Program Available

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information