MEAS | MEAS 810

TE Internal #: 20005836-00

Piezoelectric Accelerometer, Uniaxial Sensing, Solder, MEAS 810

View on TE.com >



Sensors > Vibration Sensors > 820M1 Single Axis SMT Accelerometers





Accelerometer Type: 3-Wire Voltage

Vibration Sensor Product Type: Piezoelectric Accelerometer

Number of Sensing Axes: Uniaxial
Frequency Response: 2 to 10000 Hz
Full Scale Output Voltage: ±1.25 VDC

All 820M1 Single Axis SMT Accelerometers (10)

Features

Product Type Features

Sensor Package	Embedded
Accelerometer Type	3-Wire Voltage
Vibration Sensor Product Type	Piezoelectric Accelerometer
Electrical Characteristics	
Excitation Voltage Range	2.8 – 5.5 VDC
Full Scale Output Voltage	±1.25 VDC
Signal Characteristics	
Frequency Response	2 to 10000 Hz
Body Features	
Primary Product Material	Ceramic
Product Weight	1 g[.04 oz]
Number of Sensing Axes	Uniaxial
Mechanical Attachment	
Sensor Mount Type	Solder
Usage Conditions	
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]



Operation/Application

Output Current Type	AC
Industry Standards	
IP Rating	IP68
Other	
Sensitivity Range	50 mV/g
Overall Acceleration Range (±)	25 g
Non-Linearity (FSO)	±1 %
Acceleration Range (±)	25 g

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | MEAS 810



Customers Also Bought

















Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_20005836-00_C.2d_dxf.zip

English



Customer View Model

ENG_CVM_CVM_20005836-00_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_20005836-00_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MODEL 820M1 ACCELEROMETER

English

Product Specifications

Manuals & User Guides

English